

DIN EN 16129:2013-08 (E)

Pressure regulators, automatic change-over devices, having a maximum regulated pressure of 4 bar, with a maximum capacity of 150kg/h, associated safety devices and adaptors for butane, propane, and their mixtures

Contents

Page

| | |
|---|----|
| Foreword | 7 |
| 1 Scope | 8 |
| 2 Normative references | 8 |
| 3 Terms and definitions | 10 |
| 3.1 General terms and definitions | 10 |
| 3.2 Terms and definitions concerning gas | 12 |
| 3.3 Terms and definitions concerning pressures | 13 |
| 3.4 Terms and definitions concerning flow rates | 14 |
| 4 Types of regulating devices | 14 |
| 4.1 Introduction | 14 |
| 4.2 Regulating device with a nominal regulated pressure specified by EN 437 | 15 |
| 4.3 Other regulating devices | 15 |
| 5 Constructional characteristics | 15 |
| 5.1 General | 15 |
| 5.2 Materials | 16 |
| 5.3 Special requirements | 17 |
| 5.3.1 Pressure sensing subassembly (regulating devices only) | 17 |
| 5.3.2 Regulation subassembly (regulating devices only) | 17 |
| 5.3.3 Back pressure subassembly (regulating devices only) | 17 |
| 5.3.4 Connection subassembly | 18 |
| 5.3.5 Change over devices | 20 |
| 5.4 Mechanical strength | 21 |
| 5.4.1 Resistance to impact | 21 |
| 5.4.2 Resistance to pressure | 21 |
| 5.4.3 Strength of connections | 21 |
| 5.5 Soundness | 24 |
| 5.6 Mechanical endurance | 24 |
| 5.6.1 Regulators | 24 |
| 5.6.2 Automatic change over devices | 25 |
| 5.6.3 Devices fitted with a manual closing device | 25 |
| 5.6.4 Quick coupling device | 25 |
| 5.6.5 Device with freely rotating outlet connection | 25 |
| 5.7 Resistance to humidity changes | 25 |
| 5.8 Resistance to corrosion | 25 |
| 6 Performance characteristics | 26 |
| 6.1 General | 26 |
| 6.2 Regulators | 26 |
| 6.2.1 Supply and regulated pressures for regulators to be used on installations where the final pressure is to EN 437 | 26 |
| 6.2.2 Supply and regulated pressures for fixed or adjustable regulators to be used on installations where the final pressure is not to EN 437 | 30 |
| 6.2.3 Variable regulators | 31 |
| 6.3 Automatic change over devices | 32 |

| | | |
|---------|--|----|
| 6.3.1 | Supply and regulated pressures for automatic change over devices to be used on installations where the final pressure is to EN 437 | 32 |
| 6.3.2 | Supply and regulated pressures for fixed or adjustable automatic change over devices to be used on installations where the final pressure is not to EN 437 | 33 |
| 6.3.3 | Automatic change over device with integral variable regulator | 34 |
| 6.3.4 | Change over pressure | 34 |
| 6.4 | Adaptors | 34 |
| 7 | Test methods | 35 |
| 7.1 | General conditions | 35 |
| 7.1.1 | Type of test gas | 35 |
| 7.1.2 | Test conditions | 35 |
| 7.1.3 | Equivalence formulas | 35 |
| 7.1.4 | Test samples | 36 |
| 7.2 | Verification of constructional characteristics | 36 |
| 7.2.1 | Resistance to impact | 36 |
| 7.2.2 | Resistance to pressure | 36 |
| 7.2.3 | Mechanical strength of connections | 37 |
| 7.2.4 | Valve pad retention | 42 |
| 7.2.5 | Soundness | 42 |
| 7.2.6 | Mechanical endurance | 43 |
| 7.2.7 | Resistance to humidity changes | 45 |
| 7.2.8 | Resistance to corrosion | 45 |
| 7.3 | Verification of performance characteristics | 45 |
| 7.3.1 | General | 45 |
| 7.3.2 | Plotting of the performance curves for regulating devices | 48 |
| 7.3.3 | Performances of adaptors | 49 |
| 7.3.4 | Verification of first stage pressure for G.56 connection regulating devices | 49 |
| 7.3.5 | Soundness of the non return valve | 50 |
| 8 | Marking, packaging, instructions | 50 |
| 8.1 | General | 50 |
| 8.2 | Marking of the device | 50 |
| 8.3 | Packaging | 51 |
| 8.4 | Instructions for installation, use and maintenance | 51 |
| Annex A | (normative) Special requirements for devices fitted with pressure or flow rate operated safety functions | 53 |
| A.1 | Regulating devices fitted with an over-pressure relief valve of a limited flow rate (PRV) ... | 53 |
| A.1.1 | Definition | 53 |
| A.1.2 | Constructional characteristics | 53 |
| A.1.3 | Performance characteristics | 53 |
| A.1.4 | Test methods | 54 |
| A.1.5 | Regulating device marking | 54 |
| A.1.6 | Instructions | 54 |
| A.2 | Regulating devices fitted with an over-pressure shut off safety device (OPSO) | 55 |
| A.2.1 | Definition | 55 |
| A.2.2 | Constructional characteristics | 55 |
| A.2.3 | Performance characteristics | 55 |
| A.2.4 | Test methods | 56 |
| A.2.5 | Regulating device marking | 57 |
| A.2.6 | Instructions | 57 |
| A.3 | Regulating devices fitted with an under-pressure shut off safety device (UPSO) | 57 |
| A.3.1 | Definition | 57 |
| A.3.2 | Constructional and performance characteristics | 57 |
| A.3.3 | Test methods | 57 |
| A.3.4 | Regulating device marking | 58 |
| A.3.5 | Instructions | 58 |
| A.4 | Regulating devices fitted with an excess flow valve (EFV) | 58 |
| A.4.1 | Definition | 58 |
| A.4.2 | Performance characteristics | 58 |

| | | |
|--|--|-----------|
| A.4.3 | Test methods | 59 |
| A.4.4 | Regulating device marking | 62 |
| A.4.5 | Instructions | 62 |
| A.5 | Regulating devices fitted with a regulated outlet pressure limiter | 63 |
| A.5.1 | Definition | 63 |
| A.5.2 | Constructional and performance characteristics | 63 |
| A.5.3 | Test method | 63 |
| A.5.4 | Marking | 64 |
| A.5.5 | Instructions | 64 |
| A.6 | Two stage pressure limiting regulating device | 65 |
| A.6.1 | Description | 65 |
| A.6.2 | Constructional and performance characteristics | 65 |
| A.6.3 | Test methods | 65 |
| A.6.4 | Marking | 65 |
| A.6.5 | Instructions | 65 |
| A.7 | Additional diaphragm | 66 |
| A.7.1 | Description | 66 |
| A.7.2 | Constructional and performance characteristics | 66 |
| A.7.3 | Performance characteristics | 66 |
| A.7.4 | Test methods | 66 |
| A.7.5 | Marking | 66 |
| A.7.6 | Instructions | 67 |
| Annex B (normative) Special requirements for devices fitted with a thermal shut off system | | 68 |
| B.1 | Thermal shut off valve | 68 |
| B.1.1 | Definition | 68 |
| B.1.2 | Constructional characteristics | 68 |
| B.1.3 | Performance characteristics | 68 |
| B.1.4 | Test methods | 68 |
| B.1.5 | Marking | 69 |
| B.1.6 | Instructions | 69 |
| B.2 | Thermal spindle on devices for self closing valve connection | 69 |
| B.2.1 | Definition | 69 |
| B.2.2 | Constructional characteristics | 69 |
| B.2.3 | Performance characteristics | 69 |
| B.2.4 | Test methods | 70 |
| B.2.5 | Marking | 70 |
| B.2.6 | Instructions | 70 |
| Annex C (normative) Special requirements for devices under extreme temperature conditions (temperatures below -20 °C) | | 71 |
| C.1 | Scope | 71 |
| C.2 | Requirements | 71 |
| C.2.1 | Material | 71 |
| C.2.2 | Extreme temperature test | 71 |
| C.3 | Conditioning | 71 |
| C.4 | Marking | 71 |
| C.5 | Instructions | 71 |
| Annex D (normative) Regulating devices for gas cylinders to supply appliances installed in caravans, motor caravans or freshwater boats | | 72 |
| D.1 | Scope | 72 |
| D.2 | Installations and connections | 72 |
| D.3 | Pressures and flow rate | 74 |
| D.4 | Pressure safety functions | 75 |
| D.5 | Automatic change over system ("kit") | 75 |
| D.6 | Resistance to vibration | 76 |
| D.7 | Marking | 76 |
| D.8 | Instructions | 77 |

| | | |
|--|---|-----|
| Annex E (normative) Complementary test requirements for non-metallic thermoplastic or thermal setting materials used in the construction of devices | 78 | |
| E.1 | Scope | 78 |
| E.2 | Materials | 78 |
| E.3 | Special requirements | 79 |
| E.3.1 | Accelerated ageing | 79 |
| E.3.2 | Resistance to hydrocarbons | 80 |
| E.3.3 | Resistance to cracking under stress and when chemical agents are present | 80 |
| E.3.4 | Characteristics relating to fire resistance | 80 |
| E.4 | Special conditions for carrying out the tests mentioned in the body of the standard | 80 |
| E.4.1 | Resistance to impact (see 5.4.1 and 7.2.1) | 80 |
| E.4.2 | Mechanical resistance of connections (see 5.4.3 and 7.2.3) | 80 |
| E.4.3 | Soundness (see 5.5 and 7.2.5) | 81 |
| E.5 | Sampling and order of tests | 81 |
| Annex F (normative) Requirements for elastomeric reinforced diaphragms | 82 | |
| Annex G (normative) Inlet connections | 83 | |
| Annex H (normative) Outlet connections | 98 | |
| Annex I (informative) Test method for resistance to corrosion | 119 | |
| I.1 | Principle | 119 |
| I.2 | Reagents | 119 |
| I.2.1 | Saline solution | 119 |
| I.2.2 | Compressed air | 119 |
| I.2.3 | Salt mist | 119 |
| I.3 | Apparatus | 120 |
| I.4 | Test method | 121 |
| I.4.1 | Method of exposure of devices | 121 |
| I.4.2 | Duration of tests | 121 |
| I.4.3 | Checks | 121 |
| I.4.4 | Cleaning of devices | 122 |
| I.5 | Results | 122 |
| Annex J (informative) Method for measuring leaks | 125 | |
| J.1 | Scope | 125 |
| J.2 | Diagram of the test bench | 125 |
| J.3 | Coefficient K | 126 |
| J.3.1 | Method | 126 |
| J.3.2 | Calculations | 126 |
| J.4 | Measurement of the leak | 126 |
| J.4.1 | Method | 126 |
| J.4.2 | Calculations | 126 |
| J.5 | Checks | 127 |
| Annex K (normative) Special requirements for low pressure fixed regulators fitted with two or three outlets for outdoor use | 128 | |
| K.1 | Scope | 128 |
| K.2 | Constructional characteristics | 128 |
| K.3 | Performance characteristics | 128 |
| K.4 | Test methods | 128 |
| K.4.1 | Test on the shut off devices | 128 |
| K.4.2 | Performance test | 129 |
| K.5 | Marking | 130 |
| K.6 | Instructions | 130 |

| | |
|---|------------|
| Annex L (normative) Special requirements for regulators fitted with an inlet valve | 131 |
| L.1 Scope | 131 |
| L.2 Definition | 131 |
| L.3 Constructional characteristics | 131 |
| L.4 Performance characteristics : mechanical strength | 131 |
| L.5 Test methods | 131 |
| | |
| Annex M (normative) Devices for gas cylinders to supply appliances installed in seawater boats .. | 132 |
| M.1 Scope | 132 |
| M.2 General | 132 |
| M.3 Maximum guaranteed flow rate | 132 |
| M.4 Regulating devices fitted with a pressure relief valve | 132 |
| M.5 Vent | 132 |
| M.6 Connections | 132 |
| M.7 Material | 132 |
| M.8 Corrosion | 132 |
| M.8.1 General | 132 |
| M.8.2 Corrosion requirement | 133 |
| M.8.3 Corrosion test method | 133 |
| M.9 Marking | 133 |
| M.10 Instructions for use and maintenance | 133 |
| | |
| Annex N (normative) Alternative possible seal | 134 |
| N.1 Scope | 134 |
| N.2 Dimensions | 134 |
| N.3 Materials | 134 |
| N.4 Markings | 134 |
| | |
| Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2009/142/EC (for pressure regulators only) | 136 |
| | |
| Bibliography | 138 |