

DIN EN 1594:2013-12 (E)

Gas infrastructure - Pipelines for maximum operating pressure over 16 bar - Functional requirements

Contents		Page
Foreword		5
Introduction		6
1	Scope	7
2	Normative references	10
3	Terms, definitions, symbols and abbreviations	11
4	Quality and management systems	16
5	Safety and the environment	16
5.1	General	16
5.2	Appropriate safety measures	16
5.3	Routing considerations	17
5.4	Line valve spacing	18
6	Pressure safety	18
6.1	Pressure levels	18
6.2	Normal operation	19
6.3	Requirements for installation of pressure safety devices	19
6.4	Pipeline with DP equal to or less than 40 bar and hoop stress equal to or less than 0,45 Rt 0,5	19
6.5	Pipeline with DP equal to or less than 24 bar and hoop stress equal to or less than 0,30 Rt 0,5	19
7	Design	20
7.1	General	20
7.2	Wall thickness determination	21
7.3	Additional design requirements	22
7.4	Analysis of stress and strain	24
7.5	Design report	26
7.6	Land management and geotechnical studies	27
7.7	Depth of cover	27
7.8	Casing pipes	28
7.9	Station design	28
7.10	Pipeline components	30
7.11	Pigging suitability	30
7.12	Arrangements for venting	30
7.13	Corrosion protection	31
7.14	Grid connections	33
8	Materials and components	33
8.1	General	33
8.2	Pipes	37
8.3	Fittings	37
8.4	Flanged connections	37
8.5	Insulating connections	38
8.6	Valves	38
8.7	External and internal coatings	38

8.8	End preparation	38
9	Construction	38
9.1	General	38
9.2	Execution of work	39
9.3	Special crossings	46
9.4	Cleaning	50
9.5	Testing	51
9.6	Acceptance	52
10	Operation and maintenance	53
10.1	General	53
10.2	Organisation	54
10.3	Operating and maintenance instructions	54
10.4	Emergency plan	55
10.5	Records and documentation	55
10.6	Commissioning	56
10.7	Decommissioning	56
10.8	Recommissioning	56
10.9	Maintenance, modification and repair	56
10.10	Abandonment	59
Annex A (informative) Settlement areas		60
A.1	General	60
A.2	Procedure	60
A.3	Construction settlement	60
A.4	Strength calculation	61
A.5	Monitoring	65
A.6	Action in the event of the allowable/limit values being exceeded	65
A.7	Bibliography	65
Annex B (informative) Mining subsidence		66
B.1	General	66
B.2	Procedure	66
B.3	Strength calculation	66
B.4	Action in the event of the allowable/limit values being exceeded	67
B.5	Monitoring	67
B.6	Bibliography	67
Annex C (informative) Frost heave		68
C.1	General	68
C.2	Procedure	68
C.3	Strength calculation	68
C.4	Other possible measures	68
C.5	Bibliography	69
Annex D (informative) Landslide areas		70
D.1	General	70
D.2	Procedure	70
D.3	Strength calculation	71
D.4	Possible action to prevent the allowable/limit values being exceeded	71
D.5	Monitoring	72
D.6	Bibliography	72
Annex E (informative) Areas with high seismic risk		74
E.1	General	74
E.2	Procedure	74

E.3	Strength calculation	75
E.4	Bibliography	76
Annex F (informative) Soil mechanics parameters		78
F.1	Parameters	78
F.2	Soil engineering study	79
F.3	Bibliography	79
Annex G (informative) Bored/jacked crossings		81
G.1	General	81
G.2	Strength calculation	81
G.3	Bibliography	85
Annex H (informative) Allowable pulsation and vibration levels		86
H.1	Introduction	86
H.2	Pulsations	86
H.3	Pipe vibrations	86
H.4	Induced effects	87
H.5	Bibliography	87
Annex I (informative) Allowable vibration levels from construction work - blasting		88
I.1	General	88
I.2	Procedure	88
I.3	Strength calculation	88
I.4	Bibliography	90
Annex J (informative) Significant technical changes between this European Standard and the previous edition		91
Bibliography		93