

ISO 19882:2025-02 (E)

Gaseous hydrogen - Thermally activated pressure relief devices for compressed hydrogen vehicle fuel containers

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Service conditions	3
4.1	General	3
4.2	Design service life	3
4.3	Nominal working pressure	4
4.4	Durability test cycles	4
4.5	Temperature range	4
5	Quality assurance	4
6	General requirements	4
6.1	Material requirements	4
6.1.1	General	4
6.1.2	Metallic materials	4
6.1.3	Non-metallic materials	5
6.2	Design requirements	5
6.3	Flow capacity	5
6.4	Failure modes and effects analysis (FMEA)	6
7	Design qualification testing	6
7.1	Test requirements	6
7.1.1	General	6
7.1.2	Test gases	8
7.2	Pressure cycling	8
7.2.1	Sampling	8
7.2.2	Procedure	8
7.2.3	Acceptable results	9
7.3	Accelerated life	9
7.3.1	Sampling	9
7.3.2	Procedure	9
7.3.3	Acceptable results	9
7.4	Thermal cycling	10
7.4.1	Sampling	10
7.4.2	Procedure	10
7.4.3	Acceptable results	10
7.5	Accelerated cyclic corrosion	10
7.5.1	Sampling	10
7.5.2	Procedure	10
7.5.3	Acceptable results	12
7.6	Automotive fluids exposure	12
7.6.1	Sampling	12
7.6.2	Procedure	12

7.6.3	Acceptable results	12
7.7	Atmospheric exposure	13
7.7.1	General	13
7.7.2	Oxygen aging	13
7.7.3	Ozone	13
7.8	Stress corrosion cracking resistance	13
7.8.1	Sampling	13
7.8.2	Procedure	13
7.8.3	Acceptable results	14
7.9	Impact due to drop and vibration	14
7.9.1	Impact due to drop	14
7.9.2	Vibration	14
7.10	Leakage	15
7.10.1	Sampling	15
7.10.2	Procedure	15
7.10.3	Acceptable results	15
7.11	Bench top activation	15
7.11.1	Direct-acting TPRD	15
7.11.2	Pilot-activated PRDs	16
7.12	Flow capacity	17
7.12.1	Sampling	17
7.12.2	Procedure	17
7.12.3	Acceptable results	17
7.13	High pressure activation and flow	18
7.13.1	Sampling	18
7.13.2	Procedure	18
7.13.3	Acceptable results	18
7.14	Excess torque resistance	18
7.14.1	Sampling	18
7.14.2	Procedure	18
7.14.3	Acceptable results	18
7.15	Hydrostatic strength	19
7.15.1	Sampling	19
7.15.2	Procedure	19
7.15.3	Acceptable results	19
7.16	Water jet protection	19
7.16.1	Sampling	19
7.16.2	Procedure	19
7.16.3	Acceptable results	20
8	Inspection and acceptance testing	20
8.1	Inspection and acceptance testing plan	20
8.2	Inspector's responsibilities	20
8.3	Inspection of system critical components	20
8.4	Leak testing	20
9	Production batch testing	20
9.1	General	20
9.2	Production batch sizes	21
9.2.1	General	21
9.2.2	Fusible materials	21
9.2.3	Pressure relief devices	21
9.3	Pressure relief device components	21
9.4	Pressure cycle verification	21
9.4.1	General	21
9.4.2	Procedure	21
9.4.3	Acceptable results	21
9.5	Bench top activation	21
9.5.1	General	21
9.5.2	Procedure	21
9.5.3	Acceptable results	22

10	Marking	22
10.1	Required information	22
10.2	Marking methods	22
11	Component literature	22
11.1	General	22
11.2	Component literature recommendations for pilot-activated PRD valves	23
Annex A (informative) Subsystem and vehicle level considerations		24
Annex B (informative) Design qualification test rationale		28
Bibliography		31