DIN EN 12405-1:2006-04 (E)

Gas meters - Conversion devices - Part 1: Volume conversion

Contents

Page

Foreword 8

1 Scope 9

2 Normative references 9

3 Terms, definitions and symbols 11
3.1 Terms and definitions 11
3.2 Symbols 14

4 Principle of measurement 16
4.1 Conversion as a function of temperature 16
4.2 Conversion as a function of pressure and temperature 16
4.3 Conversion as a function of pressure, temperature and deviation from the ideal gas law 17
4.4 Correction of the volume at measurement conditions 17

5 Rated operating conditions 18
5.1 Specified field of measurement 18
5.1.1 Specified measurement range for gas pressure 18
5.1.2 Specified measurement range for gas temperature 18
5.1.3 Gas characteristics 18
5.2 Environmental class 18
5.2.1 Ambient temperature range 18
5.2.2 Humidity range 19
5.3 Power supply 19

6 Construction requirements 19
6.1 General 19
6.2 Casings 20
6.3 Indications 20
6.3.1 General 20
6.3.2 Electronic indicating device 22
6.4 Inputs for volume conversion 22
6.5 Battery powered conversion device 22
6.6 Security devices and alarms 23

7 Installation requirements 24
7.1 General 24
7.2 Temperature transducer 24
7.3 Pressure transducer 24

8 Performance 24
8.1 Reference conditions 24
8.2 Rated operating conditions 25
8.3 Maximum permissible errors 25
8.3.1 General 25
8.3.2 Error of conversion 26
8.3.3 Specific errors for a gas-volume conversion device, type 2 26
8.4 Conditions of matching the constituent elements of a conversion device type 2 26
8.5 Influence factors 27
8.6 Disturbances 27
8.7 Durability 27

9 Tests of conformity 27
9.1 Verification of the construction requirements 27
9.2 Verification of the performance requirements 27
9.2.1 Test conditions 27
9.2.3 Samples of gas volume conversion device type 1 required for testing 28
9.2.4 Samples of gas volume conversion devices type 2 required for testing 30
9.3 Test report 30

10 Marking 30

Annex A (normative) Type test 32

A.1 General conditions 32
A.1.1 General 32
A.1.2 Additional conditions specific to gas volume conversion devices type 1 32
A.1.3 Additional conditions specific to gas-volume conversion devices type 2 32
A.1.4 Test procedures 33
A.1.5 Verification of the construction requirements 34
A.2 Accuracy tests under reference conditions 34
A.2.1 Objective 34
A.2.2 Reference to documents 35
A.2.3 Procedure 35
A.2.4 Acceptance criteria 35
A.3 Effect of ambient temperature 35
A.3.1 Objective 35
A.3.2 Reference to documents 35
A.3.3 Procedure 35
A.3.4 Acceptance criteria 35
A.4 Effect of damp heat, steady state test 35
A.4.1 Objective 35
A.4.2 Reference to documents 35
A.4.3 Procedure 36
A.4.4 Acceptance criteria 36
A.5 Effect of damp heat, cyclic test 36
A.5.1 Objective 36
A.5.2 Reference to documents 36
A.5.3 Procedure 36
A.5.4 Acceptance criteria 37
A.6 Electrical power variation 37
A.6.1 Objective 37
A.6.2 Reference to documents 37
A.6.3 Procedure 37
A.6.4 Acceptance criteria 37
A.7 Short time power reductions 38
A.7.1 Objective 38
A.7.2 Reference to documents 38
A.7.3 Procedure 38
A.7.4 Acceptance criteria 38
A.8 Electrical bursts 38
A.8.1 Objective 38
A.8.2 Reference to documents 38
A.8.3 Procedure 38
A.8.4 Acceptance criteria 38
A.9 Electromagnetic susceptibility 39
A.9.1 Objective 39
A.9.2 Reference to dcouments 39
A.9.3 Procedure 39
A.9.4 Acceptance criteria 39
A.10 Electrostatic discharges 39
A.10.1 Objective 39
A.10.2 Reference to documents 39

A.10.3 Procedure 39
A.10.4 Acceptance criteria 40
A.11 Overload of pressure (only for type 1 and pressure transducers) 40
A.11.1 Objective 40
A.11.2 Reference to documents 40
A.11.3 Procedure 40
A.11.4 Acceptance criteria 40
A.12 Effect of vibrations 40
A.12.1 Objective 40
A.12.2 Reference to documents 40
A.12.3 Procedure 41
A.12.4 Acceptance criteria 41
A.13 Effect of shocks 41
A.13.1 Objective 41
A.13.2 Reference to documents 41
A.13.3 Procedure 41
A.13.4 Acceptance criteria 41
A.14 Overload of pressure (mechanical) 41
A.14.1 Objective 41
A.14.2 Reference to documents 42
A.14.3 Procedure 42
A.14.4 Acceptance criteria 42
A.15 Durability 42
A.15.1 Objective 42
A.15.2 Reference to documents 42
A.15.3 Procedure 42
A.15.4 Acceptance criteria 43
A.16 Alarms operation 43
A.16.1 Objective 43
A.16.2 Reference to documents 43
A.16.3 Procedure 43
A.16.4 Acceptance criteria 43

Annex B (normative) Pressure transducers 44

B.1 Scope 44
B.2 Rated operating conditions 44
B.2.1 Specified measurement range for pressure 44
B.2.2 Environmental class 44
B.2.3 Power supply 44
B.3 Construction requirements 44
B.3.1 General 44
B.3.2 Casings 44
B.3.3 Indications 44
B.4 Performances 45
B.4.1 Reference conditions 45
B.4.2 Rated operating conditions 45
B.4.3 Maximum permissible errors 45
B.4.4 Influence factors 45
B.4.5 Disturbances 45
B.4.6 Durability 45
B.5 Tests of conformity 46
B.5.1 Test conditions 46
B.5.2 Tests 46
B.5.3 Sample of pressure transducers required for testing 46
B.6 Marking 46

Annex C (normative) Platinum resistance thermometer sensors 47

C.1 Scope 47
C.2 Operating rated conditions 47
C.2.1 Specified measurement range for temperature 47

C.2.2 Environmental class 47
C.3 Construction requirements 47
C.4 Performances 47
C.5 Marking 48
C.5.1 Required markings 48
C.5.2 Verification mark 48
C.6 Metrological verifications 48
C.6.1 Type approval 48
C.6.2 Initial verification 49
C.7 Verification procedure 49
C.7.1 Visual inspection 49
C.7.2 Type testing (type approval) 49
C.7.3 Samples of PRT required for testing 49
C.7.4 Initial verification 49

Annex D (normative) Temperature transducers 51

D.1 Scope 51
D.2 Rated operating conditions 51
D.2.1 Specified measurement range for temperature 51
D.2.2 Environmental class 51
D.2.3 Power supply 51
D.3 Construction requirements 51
D.3.1 General 51
D.3.2 Casings 51
D.3.3 Indications 51
D.4 Performances 52
D.4.1 Reference conditions 52
D.4.2 Rated operating conditions 52
D.4.3 Maximum permissible errors 52
D.4.4 Influence factors 52
D.4.5 Disturbances 52
D.4.6 Durability 52
D.5 Tests of conformity 53
D.5.1 Test conditions 53
D.5.2 Tests 53
D.5.3 Sample of temperature transducers required for testing 53
D.6 Marking 53

Annex E (informative) Model type test report for conversion devices 54

E.1 General 54
E.1.1 General remarks 54
E.1.2 Number of pages 54
E.1.3 Laboratory's identification 54
E.1.4 Applicant 54
E.1.5 Identification of device(s) submitted for testing 54
E.2 Accuracy tests under reference conditions 55
E.2.1 Ambient temperature during the test 55
E.2.2 Test equipment used 55
E.2.3 Test results 55
E.3 Ambient temperature 56
E.3.1 Effect of dry heat 56
E.3.2 Effect of cold 57
E.4 Effect of damp heat, steady state test 59
E.4.1 Ambient temperature during the test 59
E.4.2 Test equipment used 59
E.4.3 Test results 59
E.5 Effect of damp heat, cyclic test 60
E.5.1 Ambient temperature during the test 60
E.5.2 Test equipment used 60
E.5.3 Test results 61

E.6 Electrical power variation 62
E.6.1 AC power supply 62
E.6.2 DC power supply or battery supply 64
E.7 Short time power reductions 65
E.7.1 Test equipment used 65
E.7.2 Test results 65
E.8 Electrical bursts 66
E.8.1 Test equipment used 66
E.8.2 Test results 66
E.9 Electromagnetic immunity 68
E.9.1 Test equipment used 68
E.9.2 Test results 68
E.10 Electrostatic discharges 68
E.10.1 Test equipment used 68
E.10.2 Test results 69
E.11 Effect of an overload of static pressure 69
E.11.1 Ambient temperature during the test 69
E.11.2 Test equipment used 69
E.11.3 Test results 70
E.12 Effect of vibrations 71
E.12.1 Ambient temperature during the test 71
E.12.2 Test equipment used 71
E.12.3 Test results 71
E.13 Effect of shocks 72
E.13.1 Ambient temperature during the test 72
E.13.2 Test equipment used 72
E.13.3 Test results 72
E.14 Mechanical resistance to overload of static pressure 73
E.14.1 Ambient temperature during the test 73
E.14.2 Test equipment used 73
E.14.3 Test results 73
E.15 Durability 73
E.15.1 Ambient temperature during the test 73
E.15.2 Test equipment used 73
E.15.3 Test equipment used 74

Annex F (informative) Model type test report for associated transducers 77

F.1 General 77
F.1.1 General remarks 77
F.1.2 Number of pages 77
F.1.3 Laboratory's identification 77
F.1.4 Applicant 77
F.1.5 Identification of device(s) submitted for testing 77
F.2 Accuracy tests under reference conditions 78
F.2.1 Ambient temperature during the test 78
F.2.2 Test equipment used 78
F.2.3 Test results 78
F.3 Ambient temperature 78
F.3.1 Effect of dry heat 78
F.3.2 Effect of cold 79
F.4 Effect of damp heat, steady state test 80
F.4.1 Ambient temperature during the test 80
F.4.2 Test equipment used 80
F.4.3 Test results 80
F.5 Effect of damp heat, cyclic test 81
F.5.1 Ambient temperature during the test 81
F.5.2 Test equipment used 81
F.5.3 Test results 82
F.6 Electrical power variation 82
F.6.1 AC power supply 82
F.6.2 DC power supply or battery supply 84

F.7 Short time power reductions 84
F.7.1 Ambient temperature during the test 84
F.7.2 Test equipment used 84
F.7.3 Test results 85
F.8 Electrical bursts 85
F.8.1 Ambient temperature during the test 85
F.8.2 Test equipment used 85
F.8.3 Test results 85
F.9 Electromagnetic immunity 86
F.9.1 Ambient temperature during the test 86
F.9.2 Test equipment used 86
F.9.3 Test results 87
F.10 Electrostatic discharges 87
F.10.1 Ambient temperature during the test 87
F.10.2 Test equipment used 87
F.10.3 Test results 88
F.11 Effect of an overload of static pressure 88
F.11.1 Ambient temperature during the test 88
F.11.2 Test equipment used 88
F.11.3 Test results 89
F.12 Effect of vibrations 90
F.12.1 Ambient temperature during the test 90
F.12.2 Test equipment used 90
F.12.3 Test results 90
F.13 Effect of shocks 90
F.13.1 Ambient temperature during the test 90
F.13.2 Test equipment used 90
F.13.3 Test results 91
F.14 Mechanical resistance to overload of static pressure 91
F.14.1 Ambient temperature during the test 91
F.14.2 Test equipment used 91
F.14.3 Test results 91
F.15 Durability 92
F.15.1 Ambient temperature during the test 92
F.15.2 Test equipment used 92
F.15.3 Test results 92

Bibliography 94