

DIN EN 13836:2007-06 (E)

Gas-fired central heating boilers - Type B boilers of nominal heat input exceeding 300 kW, but not exceeding 1000 kW

Contents		Page
Foreword		6
1	Scope	7
2	Normative references	8
3	Terms and definitions	9
3.1	Combustible gases	9
3.2	Constituent parts of the boiler	11
3.2.1	Gas supply	11
3.2.2	Combustion circuit	12
3.2.3	Adjusting, control and safety devices	13
3.3	Operation of the boiler	16
3.3.1	Gas rates	16
3.3.2	Outputs	17
3.3.4	Gas combustion	17
3.3.5	Times	18
3.3.10	Locking out	19
4	Classification of boilers	19
4.1	Gases and categories	19
4.2	Classification according to the mode of evacuation of the combustion products	20
4.2.1	General	20
4.2.2	Type B	20
4.3	Classification according to operating conditions)	21
4.3.1	Standard boiler	21
4.3.2	Low-temperature boiler	21
4.3.3	Gas condensing boiler)	21
4.4	Modular boiler	21
5	Constructional requirements	21
5.1	General	21
5.2	Conversion to different gases	21
5.3	Materials and method of construction	22
5.3.1	General	22
5.3.2	Materials and thicknesses of walls or tubes under water pressure	22
5.3.3	Thermal insulation	32
5.4	Design	33
5.4.1	General	33
5.4.2	Modular boilers	33
5.5	Use and servicing	33
5.6	Connections to the gas and water pipes	34
5.6.1	General	34
5.6.2	Connections to the gas pipe	34
5.6.3	Connections to the central heating circuit	34
5.7	Soundness	34
5.7.1	Soundness of the gas circuit	34
5.7.2	Soundness of the combustion circuit	34
5.8	Supply of combustion air and the evacuation of the combustion products	35
5.8.1	Control dampers in the air or combustion products circuit	35
5.8.2	Fan	35

5.8.3	Air proving	35
5.8.4	Gas/air ratio controls	35
5.8.5	Condensate discharge	36
5.9	Checking the state of operation	36
5.10	Drainage	36
5.11	Electrical equipment	37
5.12	Operational safety in the event of failure of the auxiliary energy	37
5.13	Adjusting, control and safety devices	37
5.13.1	General	37
5.13.2	Adjusters and range rating devices	37
5.13.3	Gas circuit	38
5.13.4	Gas pressure regulator	39
5.13.5	Ignition devices	40
5.13.6	Flame supervision systems	40
5.13.7	Thermostats and water temperature limiting devices	41
5.13.8	Device for monitoring the evacuation of combustion products	42
5.14	Burners	42
5.15	Pressure test points	42
5.16	Chemical composition of the condensate for low-temperature boilers	43
6	Operational requirements	43
6.1	General	43
6.2	Soundness	43
6.2.1	Soundness of the gas circuit	43
6.2.2	Soundness of the combustion circuit and correct evacuation of the combustion products	43
6.2.3	Soundness of the water circuit	43
6.3	Nominal, maximum and minimum heat inputs, and nominal output	43
6.3.1	Nominal heat input or maximum and minimum heat inputs	43
6.3.2	Adjustment of the heat input by the downstream pressure	44
6.3.3	Minimum ignition rate	44
6.3.4	Nominal output	44
6.3.5	Gas pressure regulator	44
6.4	Safety of operation	44
6.4.1	Limiting temperatures	44
6.4.2	Ignition -- Cross-lighting -- Flame stability	45
6.4.3	Pre-purge	46
6.5	Adjusting, control and safety devices	47
6.5.1	General	47
6.5.2	Ignition devices	47
6.5.3	Flame supervision devices	48
6.5.4	Ignition burner and ignition rates	50
6.5.5	Air proving	50
6.5.6	Gas pressure switches	51
6.5.7	Control thermostat and safety temperature limiter	52
6.5.8	Device for monitoring the evacuation of combustion products	52
6.5.9	Condensate discharge blockage	53
6.6	Combustion	53
6.6.1	Carbon monoxide	53
6.6.2	Other pollutants	53
6.7	Useful efficiencies	54
6.7.1	Useful efficiency at the nominal heat input	54
6.7.2	Useful efficiency at part load	54
6.8	Criteria for condensation in the flue	55
6.9	Resistance of materials to pressure	55
6.9.1	General	55
6.9.2	Boilers of sheet steel or non-ferrous metals	55
6.9.3	Boilers of cast iron and cast materials	55
6.10	Hydraulic resistance	56
6.11	Combustion air and flue dampers	56
6.12	Condensation in a standard boiler	56

7	Test methods	56
7.1	General	56
7.1.1	Characteristics of the reference and limit gases	56
7.1.2	General test conditions	62
7.2	Soundness	66
7.2.1	Soundness of the gas circuit	66
7.2.2	Soundness of the combustion circuit and correct evacuation of the combustion products	66
7.2.3	Soundness of the water circuit	66
7.3	Nominal, maximum and minimum heat inputs and nominal output	67
7.3.1	The nominal heat input or the maximum and minimum heat inputs	67
7.3.2	Adjustment of the heat input by the downstream pressure	68
7.3.3	Minimum ignition rate	68
7.3.4	Nominal output	68
7.3.5	Gas regulator	68
7.4	Safety of operation	69
7.4.1	Limiting temperatures	69
7.4.2	Ignition -- Cross-lighting -- Flame stability	69
7.4.3	Pre-purge	71
7.5	Adjusting, control and safety devices	72
7.5.1	General	72
7.5.2	Ignition devices	72
7.5.3	Flame supervision device	73
7.5.4	Ignition burner and ignition rates	75
7.5.5	Air proving	75
7.5.6	Gas pressure switches	77
7.5.7	Control thermostat and safety temperature limiter	77
7.5.8	Device for monitoring the evacuation of combustion products	79
7.5.9	Condensate discharge blockage	79
7.6	Combustion	80
7.6.1	Carbon monoxide	80
7.6.2	Other pollutants	83
7.7	Useful efficiencies	86
7.7.1	Useful efficiency at the nominal heat input	86
7.7.2	Useful efficiency at part load	87
7.8	Criteria for condensation in the flue	92
7.8.1	Determination of flue losses	92
7.8.2	Minimum temperature of the combustion products	93
7.9	Resistance of materials to pressure	93
7.9.1	General	93
7.9.2	Boilers of sheet steel or non-ferrous metals	93
7.9.3	Boilers of cast iron and cast materials	93
7.10	Hydraulic resistance	94
7.11	Combustion air and flue dampers	94
7.12	Condensation in a standard boiler	94
8	Marking and instructions	95
8.1	Marking of the boiler	95
8.1.1	General	95
8.1.2	Data plate	95
8.1.3	Supplementary marking	96
8.1.4	Packaging	97
8.1.5	Warnings on the boiler and on the packaging	98
8.1.6	Other information	98
8.2	Instructions	98
8.2.1	Technical instructions for the installer	98
8.2.2	Use and maintenance instructions for the user	99
8.2.3	Conversion instructions	100
8.3	Presentation	100
	Annex A (informative) National situations	112

Annex B (informative) Special national conditions	118
Annex C (informative) A-deviations	119
Annex D (informative) Practical method of calibrating the test rig to enable the heat loss Dp to be determined	120
Annex E (informative) Main symbols and abbreviations used within this European Standard	121
Annex F (informative) Compilations of test conditions used within this European Standard	122
Annex G (informative) Valving	125
Annex H (informative) Determination of the heat losses from the test rig of the indirect method and the contributions of the circulating pump of the test rig	128
Annex I (informative) Means of determining the ignition time at full rate	129
Annex J (informative) Example of calculation of the weighting factors for a boiler with several rates	130
Annex K (informative) Calculation of conversions of NOx	132
Annex L (informative) Use of test gases	133
Annex ZA (informative) Clauses of this European Standard addressing essential requirements or provisions of EU Directives	134
Bibliography	138