

DIN EN 521:2006-05 (E)

Specifications for dedicated liquefied petroleum gas appliances - Portable vapour pressure liquefied petroleum gas appliances

Contents		Page
Foreword		5
1	Scope	6
2	Normative references	7
3	Terms and definitions	7
4	Classification	11
4.1	Classification of gases:	11
4.2	Categories of appliances:	11
5	Safety requirements	12
5.1	General	12
5.2	Conversion to different gases	12
5.3	Materials	12
5.4	Assembly, cleaning and maintenance	12
5.5	Strength and stability	13
5.6	Soundness of the gas circuit assembly	14
5.7	Connections	14
5.8	Transport, fixing and mobility devices	16
5.9	Taps	16
5.10	Control handles	17
5.11	Injectors	18
5.12	Ignition devices	18
5.13	Flame supervision devices	18
5.14	Burners and radiant elements	19
5.15	Grids	19
5.16	Turnspit	19
5.17	Fireguards for heating appliances	20
5.18	Locations and compartments for refillable gas containers	20
5.19	Verification of the heat inputs	21
5.20	Resistance to overheating	21
5.21	Temperature of various parts of the appliance	21
5.22	Temperature of panels (floors, walls or ceilings)	22
5.23	Ignition, crosslighting and flame stability	22
5.24	Resistance to draught	22
5.25	Resistance to liquid spillage	23
5.26	Combustion	23
5.27	Accumulation of un-burnt gas	23
5.28	Safety at high temperature	23
5.29	Sooting - condensation	23
5.30	Rational use of energy	23
6	Test methods	24
6.1	General	24
Table 1 --	Characteristics of the test gases	25
Table 2 --	Test conditions	26
6.2	Conversion to different gases	26

6.3	Materials	26
6.4	Assembly, cleaning and maintenance	26
6.5	Strength and stability	26
6.6	Soundness of the gas circuit assembly	29
6.7	Connections	29
6.8	Transport, fixing and mobility devices	31
6.9	Taps	31
6.10	Control handles	31
6.11	Injectors	31
6.12	Ignition devices	31
6.13	Flame supervision devices	31
6.14	Burners and radiant elements	32
6.15	Grids	32
6.16	Turnspit	32
6.17	Fireguards for heating appliances	32
6.18	Locations and compartments for refillable gas containers	33
6.19	Verification of heat inputs	33
6.20	Resistance to overheating	34
6.21	Temperatures of the various parts of the appliance	35
6.22	Temperature of panels (floor, wall or ceiling)	36
6.23	Ignition, crosslighting and flame stability	36
6.24	Resistance to draught	38
6.25	Resistance to liquid spillage	38
6.26	Combustion	39
6.27	Accumulation of un-burnt gases	40
6.28	Safety at high temperature	40
6.29	Sooting - condensation	41
6.30	Rational use of energy	41
Table 3 -- Vessel diameter and mass of water relative to the burner heat input		41
7	Marking	43
7.1	Appliance marking	43
7.2	Packaging marking	43
8	Instructions for use, maintenance and assembly	43
Figure 1 -- Cross section of a valve with centre boss		46
Figure 2 -- Adaptor		47
Figure 3 -- Tolerances of valve and adaptor threads		48
Figure 4 -- Relative dimensions of the opening of the valve by the adaptor		49
Figure 5 -- Tolerance on rate		50
Figure 6 -- Apparatus for the test of resistance to thermal shock		50
Figure 7 -- Test clamp		51
Figure 8 -- Test probe		52
Figure 9 -- Verification of the combustion of individual hotplate burners - Sampling device		53
Figure 10 -- Verification of the combustion of all burners - Sampling device		54
Annex A (normative) Characteristics of test vessels (see 6.5.2.3)		55
Figure A.A1		55
Table A.A1 -- Characteristics of pans necessary for testing		56

Annex B (normative) Tests on needle valves (see 6.9)	57
B.1 Resistance to temperature	57
B.2 Endurance	58
Annex C (informative) Examples of authorized solutions	59
Figure C.C1	59
Figure C.C2 Figure C.C3	60
Figure C.C4 Figure C.C5	61
Figure C.C6 Figure C.C7	62
Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directive	63
Table ZA.1	63
Bibliography	66