

ISO 26782:2009-07 (E)

Anaesthetic and respiratory equipment - Spirometers intended for the measurement of time forced expired volumes in humans

| Contents | | Page |
|--|---|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | *Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | General requirements | 4 |
| 4.1 | Electrical safety | 4 |
| 4.2 | Mechanical safety | 4 |
| 5 | Identification, marking and documents | 4 |
| 5.1 | Marking of the scale or display | 4 |
| 5.2 | Legibility of markings | 5 |
| 5.3 | Durability of markings | 5 |
| 5.4 | Marking of the spirometer or its packaging | 6 |
| 5.5 | Instructions for use | 6 |
| 5.6 | Technical description | 8 |
| 6 | *Measurement range | 8 |
| 7 | Performance requirements | 8 |
| 7.1 | Accuracy | 8 |
| 7.2 | Recording time | 9 |
| 7.3 | Graphical display aspect ratios | 9 |
| 7.4 | Volume recording | 9 |
| 7.5 | *Start of forced exhalation | 9 |
| 7.6 | *End of forced exhalation | 9 |
| 7.7 | Linearity | 9 |
| 7.8 | Repeatability | 9 |
| 7.9 | Expiratory impedance | 10 |
| 8 | Constructional requirements | 10 |
| 8.1 | Effects of dropping components of a hand-held spirometer or accessory | 10 |
| 8.2 | Calibration | 10 |
| 8.3 | Dismantling and re-assembly | 10 |
| 9 | Cleaning, sterilization and disinfection | 10 |
| 9.1 | Re-usable spirometer and parts | 10 |
| 9.2 | Spirometer and parts requiring processing before use | 11 |
| 9.3 | Spirometer and parts delivered sterile | 11 |
| 10 | Biocompatibility | 11 |
| Annex A (informative) Rationale | | 12 |
| Annex B (normative) Testing accuracy, linearity and impedance of spirometers | | 16 |

| | |
|--|-----------|
| Annex C (normative) * Defined test profiles | 20 |
| Annex D (informative) Environmental aspects | 23 |
| Annex E (informative) Reference to the essential principals | 24 |
| Bibliography | 26 |
| Alphabetized index of defined terms used in this International Standard | 27 |