

# ISO 14161:2009-09 (E)

## Sterilization of health care products - Biological indicators - Guidance for the selection, use and interpretation of results

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	General .....	5
5	Characteristics of biological indicators .....	7
5.1	General .....	7
5.2	Test organism suspension for direct inoculation of products .....	7
5.3	Inoculated carriers .....	8
5.4	Self-contained biological indicators .....	8
5.5	Other biological indicators .....	9
6	Selection of supplier .....	9
6.1	General .....	9
6.2	Documentation .....	10
7	Biological indicators in process development .....	11
7.1	General .....	11
7.2	Overkill approach .....	12
7.3	Combined biological indicator and bioburden method .....	12
7.4	Bioburden method .....	13
8	Biological indicators in sterilization validation .....	14
8.1	General .....	14
8.2	Placement and handling of biological indicators .....	14
8.3	Sterilizer qualification .....	14
8.4	Performance qualification .....	14
8.5	Review and approval of validation .....	15
8.6	Requalification .....	15
9	Biological indicators in routine monitoring .....	15
9.1	General .....	15
9.2	Placement and handling of biological indicators .....	15
9.3	Process challenge device (PCD) .....	16
10	Results .....	16
10.1	General .....	16
10.2	Interpretation of results .....	16
11	Application of biological indicator standards .....	17
11.1	General assessment of biological indicator performance by the user .....	17
11.2	Nominal population of test organism .....	17
11.3	Resistance determination .....	18
11.4	z value determination .....	20
11.5	F(T, z) equivalent sterilization value determination .....	22

11.6	Establishing spore-log-reduction (SLR) .....	23
11.7	Sterility assurance level (SAL) calculation .....	23
11.8	Test equipment .....	24
12	Culture conditions .....	24
12.1	General .....	24
12.2	Incubation temperature .....	24
12.3	Incubation period .....	25
12.4	Choice of growth medium .....	25
13	Third-party requirements .....	26
13.1	General .....	26
13.2	Minimum requirements for replicates and total number of biological indicators .....	26
13.3	Test equipment .....	26
14	Personnel training .....	27
15	Storage and handling .....	27
16	Disposal of biological indicators .....	27
Annex A (informative) Microbiological inactivation kinetics and enumeration techniques .....		28
Annex B (informative) Process challenge devices .....		34
Annex C (informative) Formulae for fraction negative methods for D value calculations .....		35
Annex D (informative) Examples of documentation for biological indicators prepared by the user ..		50
Annex E (informative) Calculation of z value .....		54
Annex F (informative) D value determination by survivor curve method .....		57
Annex G (informative) Survival-kill response characteristics .....		61
Bibliography .....		62