

DIN EN 12184:2014-06 (E)

Electrically powered wheelchairs, scooters and their chargers - Requirements and test methods

Contents		Page
Foreword		6
Introduction		7
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	Test apparatus	10
5	Type classes	11
6	General requirements	11
7	Preparation for testing	12
7.1	General	12
7.2	Test dummy	12
7.3	Human test occupant	12
8	Wheelchair performance	12
8.1	Performance of driving characteristics	12
8.1.1	General	12
8.1.2	Ability to climb rated slope	12
8.1.3	Ground unevenness	13
8.1.4	Maximum downhill speed	13
8.1.5	Dynamic stability	14
8.1.6	Obstacle climbing and descending	15
8.1.7	Static stability	15
8.1.8	Maximum speed	15
8.1.9	Distance range	15
8.2	Static, impact and fatigue strength	16
8.2.1	Requirements	16
8.2.2	Test	16
8.3	Wheelchairs for use as seats in motor vehicles	16
8.4	Climatic performance	17
9	Component properties	17
9.1	Foot supports, lower leg support assemblies and arm supports	17
9.1.1	Requirements	17
9.1.2	Test methods	17
9.2	Component mass	18
9.3	Pneumatic tyres	18
9.4	Anterior pelvic support	18
9.5	Resistance to ignition	18
9.5.1	Upholstered composite parts	18
9.5.2	Foam materials	19
9.5.3	Other parts in contact with the occupant	19
9.5.4	Power and control systems	19

10	Propulsion and braking systems	19
10.1	Means for operating brakes	19
10.1.1	Requirement	19
10.1.2	Test for determination of brake operating forces	20
10.2	Braking functions	20
10.2.1	Requirements	20
10.2.2	Test methods	21
10.3	Freewheel device	22
11	Operations	23
11.1	Operations intended to be carried out by the occupant and/or assistant	23
11.2	Controls intended for operation by the occupant	23
11.3	Controls intended for operation by an assistant	24
11.4	Assistant control unit, push handles and handgrips	24
11.4.1	Requirements	24
11.4.2	Test method	25
11.5	Operating forces	25
11.5.1	Requirements	25
11.5.2	Test method	25
11.6	Seating adjustments for tilt and recline systems	26
11.6.1	Requirements	26
11.6.2	Test method	26
12	Electrical systems	26
12.1	General requirements	26
12.2	Circuit protection	26
12.3	Battery chargers	27
12.4	Charging connector	27
12.5	Battery enclosures and containers	27
12.6	Emergency stop	27
12.7	Lighting	28
12.8	Switching off while driving	28
12.9	Software	28
13	Information supplied by the manufacturer	28
13.1	General	28
13.2	Pre-sale information	29
13.3	User information	30
13.4	Service information	31
13.5	Labelling	31
14	Test report	32
15	Tables	33
16	Figures	36
Annex A (informative)	Recommendations for dimensions and manoeuvring space of electrically powered wheelchairs	42
A.1	Specific dimensions	42
A.1.1	Dimensions when ready for use	42
A.1.2	Push handle height	42
A.1.3	Ground clearance	42
A.2	Manoeuvring space	42
A.2.1	Turning diameter	42
A.2.2	Pivot width or reversing width	42
A.3	Speed settings	42
Annex B (informative)	Recommended design features	44
B.1	Introduction	44

B.2	General recommendations	44
B.2.1	Anti-tip devices	44
B.2.2	Component mass	44
B.2.3	Fittings and tools	44
B.2.4	Tyres	44
B.2.5	Means to inflate tyres	44
B.2.6	Surface temperature	44
B.2.7	Occupant transfer into or out of the wheelchair	45
B.2.8	Resistance to contamination from urine incontinence	45
B.2.9	Indication for rated slope	45
B.2.10	Mirrors	45
B.2.11	Head support	45
B.2.12	Continuous operating forces	45
B.3	Recommendations for performance characteristics	46
B.3.1	Indication of electrical faults	46
B.3.2	Batteries and their containers	46
B.3.3	Control mechanism feedback	46
B.3.4	Freewheel alarm	46
B.3.5	Maximum speed	46
Annex C (informative) Recommendations for lighting and reflectors		47
C.1	General	47
C.2	Headlights	47
C.3	Lateral reflectors	47
C.4	Rear lights	47
C.5	Rear reflectors	48
D.1	Background	49
D.2	Related provisions in this document	49
Annex E (informative) Recommendations for safety in freewheel mode		50
E.1	General	50
E.2	Recommendation	50
E.3	Recommended test methods	50
E.3.1	Caution	50
E.3.2	Wheelchair switched on	50
E.3.3	Wheelchair switched off	51
E.3.4	Attempted switch-on	51
E.3.5	Battery set disconnected	51
Annex F (informative) Wheelchairs with nominal speed of not less than 10 km/h -- Dynamic stability for slopes of 10° or steeper		52
F.1	General	52
F.2	Modifications to dynamic stability test environment	52
G.1	Technical changes between the first (1999) and second (2006) editions	53
G.2	Technical changes between the second (2006) and third (2009) editions	54
G.3	Technical changes from the third (2009) edition	55
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of Council Directive 93/42/EEC		57
Bibliography		60