

DIN EN 12791:2016-06 (E)

Chemical disinfectants and antiseptics - Surgical hand disinfection - Test method and requirements (phase 2, step 2)

Contents		Page
European foreword		3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Requirements	4
5	Test methods	4
5.1	Principle	4
5.2	Materials and reagents	5
5.2.1	Test organism	5
5.2.2	Culture media and reagents	5
5.3	Apparatus and glassware	7
5.3.1	General	7
5.3.2	Usual microbiological laboratory equipment	7
5.4	Product test solutions	9
5.5	Procedure for assessing the microbicidal activity of the product on volunteers' hands	9
5.5.1	General	9
5.5.2	Preparatory handwash	10
5.5.3	Test procedure with volunteers	11
5.5.4	Incubation and counting of the test mixture	12
5.6	Experimental data and calculation	13
5.6.1	Determination of VC-values	13
5.6.2	Calculation of the individual lg reduction (lg R; lg prevalue minus lg postvalue)	13
5.7	Verification of the methodology	14
5.7.1	Acceptance criteria for test results	14
5.7.2	Control of weighted mean counts	15
5.8	Statistical evaluation (significance testing), expression of results and precision	15
5.9	Conclusion	15
5.10	Test report	16
Annex A (informative) Standard surgical handrub/-wash procedure		18
Annex B (informative) Quality control of soft soap		19
Annex C (informative) Examples of reporting of results and significance testing		20
Annex D (informative) WILCOXON'S matched-pairs signed-ranks test		31
Bibliography		32