

# ISO 25841:2017-08 (E)

## Female condoms - Requirements and test methods

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vii
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Quality verification .....	5
5	Lot size .....	6
6	Design .....	6
6.1	General .....	6
6.2	Product insertion feature .....	6
6.3	Retention features .....	7
6.4	Lubrication .....	7
6.5	Dimensions .....	8
6.5.1	Length .....	8
6.5.2	Width .....	8
6.5.3	Thickness .....	8
6.6	Risk assessment .....	8
7	Barrier properties .....	9
8	Biocompatibility .....	9
9	Clinical (human use) investigations .....	9
10	Microbial contamination .....	10
11	Bursting volume and pressure .....	11
11.1	Minimum values .....	11
11.2	Sampling and requirements .....	11
12	Tests for stability and shelf life .....	12
12.1	General .....	12
12.2	Procedure for determining shelf life by real-time stability studies .....	12
12.3	Procedure for estimating shelf life based upon accelerated stability studies .....	12
13	Freedom from holes .....	13
14	Visible defects .....	13
15	Packaging and labelling .....	13
15.1	Individual container integrity .....	13
15.2	Packaging .....	13
15.3	Labelling .....	14
15.3.1	Symbols .....	14
15.3.2	Individual containers .....	14

15.3.3	Consumer packages .....	14
15.3.4	Additional information for the consumer .....	15
15.3.5	Female condoms not distributed in consumer packages .....	16
15.4	Inspection .....	16
16	Data sheets .....	16
Annex A (normative)	Sampling plans intended for assessing conformity of a continuing series of lots of sufficient number to allow the switching rule to be applied .....	18
Annex B (informative)	Sampling plans intended for assessing conformity of isolated lots .....	19
Annex C (normative)	Determination of lubricant mass for individual female condom containers <sup>20</sup>	
Annex D (normative)	Determination of female condom length .....	22
Annex E (normative)	Determination of female condom width .....	23
Annex F (normative)	Determination of female condom thickness .....	24
Annex G (normative)	Testing for female condom individual container integrity .....	26
Annex H (normative)	Determination of barrier properties using the bacteriophage method .....	28
Annex I (informative)	Determination of microbial contamination .....	33
Annex J (normative)	Determination of bursting volume and bursting pressure .....	38
Annex K (normative)	Testing for holes .....	40
Annex L (normative)	Determination of shelf life by real-time stability studies .....	48
Annex M (informative)	Guidance on conducting and analysing accelerated ageing studies .....	50
Bibliography	.....	53