

# DIN EN 17111:2018-12 (E)

## Chemical disinfectants and antiseptics - Quantitative carrier test for the evaluation of virucidal activity for instruments used in the medical area - Test method and requirements (phase 2, step 2)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
Introduction .....		5
1	Scope .....	6
2	Normative references .....	6
3	Terms and definitions .....	6
4	Requirements .....	6
5	Test method .....	8
5.1	Principle .....	8
5.2	Materials and reagents .....	8
5.2.1	Test organisms .....	8
5.2.2	Culture media, reagents and cell cultures .....	9
5.3	Apparatus and glassware .....	12
5.3.1	General .....	12
5.3.2	Usual microbiological laboratory equipment .....	12
5.4	Preparation of test organism suspensions and product test solutions .....	14
5.4.1	Test organism suspensions (test suspension) .....	14
5.4.2	Product test solution .....	14
5.5	Procedure for assessing the virucidal activity of the product .....	15
5.5.1	General .....	15
5.5.2	Method .....	16
5.5.3	Cytotoxicity caused by product solutions .....	18
5.5.4	Control of efficiency for suppression of disinfectant activity .....	19
5.5.5	Reference test for virus inactivation .....	19
5.5.6	Titration of the virus control .....	19
5.5.7	Titration of test samples .....	19
5.6	Experimental data and calculation .....	20
5.6.1	Protocol of the results .....	20
5.6.2	Calculation of infectivity titre (TCID <sub>50</sub> - PFU) .....	20
5.7	Verification of the methodology .....	20
5.8	Explanation of terms and abbreviations .....	21
5.9	Expression of results .....	21
5.9.1	General .....	21
5.9.2	Calculation of the virucidal activity of products .....	21
5.10	Calculation .....	21
5.10.1	Virucidal activity .....	21
5.10.2	Claims .....	22
5.11	Test report .....	22
Annex A (informative) Example of a typical test report .....		24
Annex B (informative) Examples of viruses sorted according to their presence in the human body in case of virus infection .....		26

<b>Annex C (normative) Detoxification of test mixtures by molecular sieving .....</b>	<b>28</b>
<b>C.1 Molecular sieving with Sephadex™ LH 20 .....</b>	<b>28</b>
<b>C.1.1 Principle .....</b>	<b>28</b>
<b>C.1.2 Sephadex suspension .....</b>	<b>28</b>
<b>C.1.3 Procedure .....</b>	<b>28</b>
<b>C.2 Molecular sieving using MicroSpin™ S 400 HR .....</b>	<b>30</b>
<b>C.3 Determination of the residual virus titre by the large-volume-plating (LVP) method .....</b>	<b>30</b>
<b>C.3.1 General .....</b>	<b>30</b>
<b>C.3.2 Example for the calculation of titres and the reduction according to the large- volume- plating Method .....</b>	<b>31</b>
<b>Annex D (informative) Calculation of the viral infectivity titre .....</b>	<b>33</b>
<b>D.1 Quantal tests - Example of TCID<sub>50</sub> determination by the Spaerman-Kärber method .....</b>	<b>33</b>
<b>D.2 Plaque test .....</b>	<b>34</b>
<b>D.3 Biometrical evaluation of experimental approaches and assessment of the disinfecting effect on the virus (reduction [R]): .....</b>	<b>34</b>
<b>D.3.1 General .....</b>	<b>34</b>
<b>D.3.2 Calculating the virus titre with 95 % confidence interval .....</b>	<b>35</b>
<b>D.3.3 Calculating the reduction and its 95 % confidence interval .....</b>	<b>35</b>
<b>D.3.4 Calculating the average reduction (R(mi)) and its 95 % confidence interval .....</b>	<b>36</b>
<b>D.3.5 Practical example .....</b>	<b>37</b>
<b>Bibliography .....</b>	<b>40</b>