

ISO 10524-3:2019 (E)

Pressure regulators for use with medical gases — Part 3: Pressure regulators integrated with cylinder valves (VIPRs)

Contents

	Foreword
	Introduction
1	*Scope
2	Normative references
3	Terms and definitions
4	Nomenclature
5	General requirements
5.1	Safety
5.2	Usability
5.3	Materials
5.4	Alternative construction
6	Design requirements
6.1	*General
6.2	Integrated electronic device
6.3	Filling port
6.4	Connections
6.4.1	valve inlet connection
6.4.2	Outlet connectors
6.4.2.1	*Flow outlet
6.4.2.2	Pressure outlet
6.5	*Requirements for outlet pressure
6.5.1	Pressure outlet
6.5.1.1	General
6.5.1.2	Nominal outlet pressure (P2)
6.5.1.3	*Outlet pressure limits
6.5.2	Flow outlet
6.6	Cylinder pressure or cylinder content indicator
6.6.1	Pressure gauges and cylinder content indicators
6.7	Flow selector
6.8	Filtration
6.9	Main shut-off
6.10	Residual pressure device
6.11	*Pressure-relief device
6.12	Leakage
6.13	Mechanical strength
6.13.1	Resistance of the high-pressure side
6.13.2	Resistance of the low-pressure side to excessive pressure
6.13.3	Resistance of the low-pressure side to P1
6.13.4	Impact and drop tests
6.14	*Resistance to ignition
6.15	Requirements for VIPR fitted with fixed orifices
6.15.1	Stability and accuracy of flow
6.15.2	*Flow setting torque
6.15.3	Removal of a fixed orifice
6.15.4	Legibility
6.16	Endurance

- 6.16.1 flow selector
- 6.16.2 Non-return valve fitted to the filling port
- 6.16.3 Pressure regulator
- 7 Construction requirements
 - 7.1 *Cleanliness
 - 7.2 Lubricants
 - 7.3 Loosening torques
- 8 Test methods for non-gas specific type tests
 - 8.1 General conditions
 - 8.1.1 Ambient conditions
 - 8.1.2 Test gas
 - 8.1.3 Reference conditions
 - 8.2 Test schedule
 - 8.3 Test methods for outlet pressure
 - 8.3.1 Purpose
 - 8.3.2 Test equipment
 - 8.3.3 Test methods for determining outlet pressure limits for VIPRs fitted with a pressure outlet
 - 8.3.3.1 Test method for VIPRs for medical gases (except for air or nitrogen for driving surgical tools)
 - 8.3.3.2 Test method for VIPRs for air or nitrogen for driving surgical tools
 - 8.3.4 Test method for determining outlet pressure limits for a VIPR fitted with a flow outlet
 - 8.4 Test method for pressure-relief device
 - 8.4.1 Purpose
 - 8.4.2 Test procedure
 - 8.5 Test methods for leakage
 - 8.5.1 Purpose
 - 8.5.2 Test procedure
 - 8.5.2.1 External leakage
 - 8.5.2.2 Internal leakage
 - 8.6 Test method for mechanical strength
 - 8.6.1 Purpose
 - 8.6.2 Test procedure
 - 8.6.2.1 High-pressure side
 - 8.6.2.2 Low-pressure side
 - 8.6.2.3 Resistance of the low-pressure side to P1
 - 8.7 Test method for resistance to ignition
 - 8.7.1 Purpose
 - 8.7.2 General
 - 8.7.3 Test procedure
 - 8.8 Test methods for the stability and accuracy of flow of VIPRs fitted with fixed orifices
 - 8.8.1 Purpose
 - 8.8.2 Test procedure
 - 8.9 Test method for flow setting and loosening torques
 - 8.9.1 Purpose
 - 8.9.2 Test procedure
 - 8.9.2.1 General
 - 8.9.2.2 Torque testing of the flow selection knob
 - 8.10 Test for integrity of the filling port non-return valve under high flow condition
 - 8.10.1 Purpose
 - 8.10.2 Test procedure
 - 8.11 Test method for durability of markings and colour coding
 - 8.11.1 Purpose
 - 8.11.2 Test procedure
 - 8.12 Flow selector endurance test
 - 8.12.1 Purpose
 - 8.12.2 Test procedure
 - 8.13 filling port non-return valve endurance test
 - 8.13.1 Purpose
 - 8.13.2 Test procedure
 - 8.14 pressure regulator endurance test
 - 8.14.1 Purpose

- 8.14.2 Test procedure
- 9 *Gas-specific type tests
 - 9.1 Purpose
 - 9.2 Apparatus
 - 9.3 General test conditions
 - 9.3.1 Test conditions
 - 9.4 Test procedure
 - 9.4.1 Test method for determining outlet pressure limits for a VIPR fitted with a pressure outlet
 - 9.4.2 Test method for stability and accuracy of flow of a VIPR fitted with fixed orifices
 - 9.4.3 Test method for residual pressure device
- 10 Marking, colour coding and packaging
 - 10.1 Marking
 - 10.2 Colour coding
 - 10.3 Packaging
- 11 *Information to be supplied by the manufacturer
- Annex A (informative) Example of VIPRs
- Annex B (informative) Rationale
- Annex C (informative) Reported regional and national deviations of colour coding and nomenclature for medical gases

Page count: 41