

# ISO 23907-1:2019 (E)

## Sharps injury protection — Requirements and test methods — Part 1: Single-use sharps containers

---

### Contents

|         |  |
|---------|--|
|         | Foreword   |
| 1       | Scope  |
| 2       | Normative references   |
| 3       | Terms and definitions  |
| 4       | Requirements   |
| 4.1     | General  |
| 4.2     | Construction   |
| 4.2.1   | Container stability  |
| 4.2.2   | Strength of handles  |
| 4.2.3   | Aperture and closure   |
| 4.2.3.1 | General  |
| 4.2.3.2 | Requirements for the aperture  |
| 4.2.3.3 | Requirements for the closure feature   |
| 4.2.4   | Resistance to penetration  |
| 4.2.5   | Resistance to damage or leakage after dropping                                   |
| 4.2.6   | Resistance to damage or leakage after toppling                                   |
| 4.2.7   | Fill line indicator  |
| 5       | Test methods   |
| 5.1     | Container stability  |
| 5.2     | Strength of handle(s)  |
| 5.3     | Resistance to penetration  |
| 5.3.1   | Apparatus  |
| 5.3.2   | Procedure  |
| 5.4     | Resistance to damage and leakage after dropping                                  |
| 5.4.1   | Apparatus  |
| 5.4.2   | Procedure  |
| 5.5     | Resistance to spillage by toppling   |
| 5.5.1   | Apparatus  |
| 5.5.2   | Procedure  |
| 6       | Labelling and marking  |
| 7       | Instructions for use   |
| Annex A | (informative) Additional explanation of the rationale underpinning this document |
| A.1     | General  |
| A.2     | Needle selection   |
| A.3     | Penetration test method  |
| A.4     | Material construction  |
| A.5     | Colour   |
| A.6     | Maximum allowable gross mass   |
| A.7     | Pocket collectors  |
| A.8     | Temporary closure  |
| A.9     | Permanent closure  |