

ISO 13120:2019 (E)

Health informatics — Syntax to represent the content of healthcare classification systems — Classification Markup Language (ClaML)

Contents

| | |
|---------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Abbreviated terms |
| 5 | Conformance |
| 6 | Conventions |
| 7 | Classification markup language |
| 7.1 | Basis of the syntax |
| 7.2 | HTML inclusion |
| 7.3 | Electronic inserts |
| 7.4 | Informative addenda |
| 7.5 | ClaML implementation profile |
| 7.6 | XML Schema Definition |
| 7.7 | Semantic description of the Classification Markup Language |
| 7.7.1 | ClaML |
| 7.7.1.1 | General |
| 7.7.1.2 | Contents |
| 7.7.1.3 | Required attributes |
| 7.7.1.4 | Optional attributes |
| 7.7.1.5 | Examples |
| 7.7.2 | Classification |
| 7.7.2.1 | General |
| 7.7.2.2 | Contents |
| 7.7.2.3 | Required attributes |
| 7.7.2.4 | Optional attributes |
| 7.7.2.5 | Examples |
| 7.7.3 | Meta |
| 7.7.3.1 | General |
| 7.7.3.2 | Contents |
| 7.7.3.3 | Required attributes |
| 7.7.3.4 | Optional attributes |
| 7.7.3.5 | Examples |
| 7.7.4 | Identifier |
| 7.7.4.1 | General |
| 7.7.4.2 | Contents |
| 7.7.4.3 | Required attributes |
| 7.7.4.4 | Optional attributes |
| 7.7.4.5 | Examples |
| 7.7.5 | Title |
| 7.7.5.1 | General |
| 7.7.5.2 | Contents |
| 7.7.5.3 | Required attributes |
| 7.7.5.4 | Optional attributes |

| | |
|----------|---------------------|
| 7.7.5.5 | Examples |
| 7.7.6 | Authors |
| 7.7.6.1 | General |
| 7.7.6.2 | Contents |
| 7.7.6.3 | Required attributes |
| 7.7.6.4 | Optional attributes |
| 7.7.6.5 | Examples |
| 7.7.7 | Author |
| 7.7.7.1 | General |
| 7.7.7.2 | Contents |
| 7.7.7.3 | Required attributes |
| 7.7.7.4 | Optional attributes |
| 7.7.7.5 | Examples |
| 7.7.8 | Variants |
| 7.7.8.1 | General |
| 7.7.8.2 | Contents |
| 7.7.8.3 | Required attributes |
| 7.7.8.4 | Optional attributes |
| 7.7.8.5 | Examples |
| 7.7.9 | Variant |
| 7.7.9.1 | General |
| 7.7.9.2 | Contents |
| 7.7.9.3 | Required attributes |
| 7.7.9.4 | Optional attributes |
| 7.7.9.5 | Examples |
| 7.7.10 | ClassKinds |
| 7.7.10.1 | General |
| 7.7.10.2 | Contents |
| 7.7.10.3 | Required attributes |
| 7.7.10.4 | Optional attributes |
| 7.7.10.5 | Examples |
| 7.7.11 | ClassKind |
| 7.7.11.1 | General |
| 7.7.11.2 | Contents |
| 7.7.11.3 | Required attributes |
| 7.7.11.4 | Optional attributes |
| 7.7.11.5 | Examples |
| 7.7.12 | UsageKinds |
| 7.7.12.1 | General |
| 7.7.12.2 | Contents |
| 7.7.12.3 | Required attributes |
| 7.7.12.4 | Optional attributes |
| 7.7.12.5 | Examples |
| 7.7.13 | UsageKind |
| 7.7.13.1 | General |
| 7.7.13.2 | Contents |
| 7.7.13.3 | Required attributes |
| 7.7.13.4 | Optional attributes |
| 7.7.13.5 | Examples |
| 7.7.14 | Usage |
| 7.7.14.1 | General |
| 7.7.14.2 | Contents |
| 7.7.14.3 | Required attributes |
| 7.7.14.4 | Optional attributes |
| 7.7.14.5 | Examples |
| 7.7.15 | RubricKinds |
| 7.7.15.1 | General |
| 7.7.15.2 | Contents |
| 7.7.15.3 | Required attributes |
| 7.7.15.4 | Optional attributes |
| 7.7.15.5 | Examples |
| 7.7.16 | RubricKind |
| 7.7.16.1 | General |
| 7.7.16.2 | Contents |

- 7.7.16.3 Required attributes
- 7.7.16.4 Optional attributes
- 7.7.16.5 Examples
- 7.7.17 Display
 - 7.7.17.1 General
 - 7.7.17.2 Contents
 - 7.7.17.3 Required attributes
 - 7.7.17.4 Optional attributes
 - 7.7.17.5 Examples
- 7.7.18 Modifier
 - 7.7.18.1 General
 - 7.7.18.2 Contents
 - 7.7.18.3 Required attributes
 - 7.7.18.4 Optional attributes
 - 7.7.18.5 Examples
- 7.7.19 ModifierClass
 - 7.7.19.1 General
 - 7.7.19.2 Contents
 - 7.7.19.3 Required attributes
 - 7.7.19.4 Optional attributes
 - 7.7.19.5 Examples
- 7.7.20 Class
 - 7.7.20.1 General
 - 7.7.20.2 Contents
 - 7.7.20.3 Required attributes
 - 7.7.20.4 Optional attributes
 - 7.7.20.5 Examples
- 7.7.21 ModifiedBy
 - 7.7.21.1 General
 - 7.7.21.2 Contents
 - 7.7.21.3 Required attributes
 - 7.7.21.4 Optional attributes
 - 7.7.21.5 Examples
- 7.7.22 ExcludeModifier
 - 7.7.22.1 General
 - 7.7.22.2 Contents
 - 7.7.22.3 Required attributes
 - 7.7.22.4 Optional attributes
 - 7.7.22.5 Examples
- 7.7.23 ValidModifierClass
 - 7.7.23.1 General
 - 7.7.23.2 Contents
 - 7.7.23.3 Required attributes
 - 7.7.23.4 Optional attributes
 - 7.7.23.5 Examples
- 7.7.24 Rubric
 - 7.7.24.1 General
 - 7.7.24.2 Contents
 - 7.7.24.3 Required attributes
 - 7.7.24.4 Optional attributes
 - 7.7.24.5 Examples
- 7.7.25 Label
 - 7.7.25.1 General
 - 7.7.25.2 Contents
 - 7.7.25.3 Required attributes
 - 7.7.25.4 Optional attributes
 - 7.7.25.5 Examples
- 7.7.26 Extended XHTML anchor element (a)
 - 7.7.26.1 General
 - 7.7.26.2 Contents
 - 7.7.26.3 Required attributes
 - 7.7.26.4 Optional attributes
 - 7.7.26.5 Examples
- 7.7.27 History

- 7.7.27.1 General
- 7.7.27.2 Contents
- 7.7.27.3 Required attributes
- 7.7.27.4 Optional attributes
- 7.7.27.5 Examples
- 7.7.28 SuperClass
- 7.7.28.1 General
- 7.7.28.2 Contents
- 7.7.28.3 Required attributes
- 7.7.28.4 Optional attributes
- 7.7.28.5 Examples
- 7.7.29 SubClass
- 7.7.29.1 General
- 7.7.29.2 Contents
- 7.7.29.3 Required attributes
- 7.7.29.4 Optional attributes
- 7.7.29.5 Examples
- 7.7.30 Fragment
- 7.7.30.1 General
- 7.7.30.2 Contents
- 7.7.30.3 Required attributes
- 7.7.30.4 Optional attributes
- 7.7.30.5 Examples
- 7.7.31 Include
- 7.7.31.1 General
- 7.7.31.2 Contents
- 7.7.31.3 Required attributes
- 7.7.31.4 Optional attributes
- 7.7.31.5 Examples
- 7.7.32 IncludeDescendants
- 7.7.32.1 General
- 7.7.32.2 Contents
- 7.7.32.3 Required attributes
- 7.7.32.4 Optional attributes
- 7.7.32.5 Examples

Annex A (informative) Examples of usage of ClaML

- A.1 Representing the dagger and asterisk system of ICD
- A.2 References to different languages
- A.3 Text containing repetition and layout

Annex B (informative) Suggested usage of ClaML attribute values

- B.1 General
- B.2 Class kind attribute values
- B.3 Usage kind attribute values
- B.4 Rubric kind attribute values

Annex C (informative) Different ways of modification

- C.1 General
- C.2 The “classical” way of modification
 - C.2.1 General
 - C.2.2 Schematic example (classical way)
 - C.2.3 XML example (classical way)
 - C.2.4 HTML output example (classical way)
 - C.2.5 Example for redundant modifier lists (classical way)
- C.3 The “Value Set” way of modification
 - C.3.1 General
 - C.3.2 Schematic example (Value Set way)
 - C.3.3 XML example (Value Set way)
 - C.3.4 HTML output example (Value Set way)