# ISO 13606-2:2019 (E)

## Health informatics — Electronic health record communication — Part 2: Archetype interchange specification

## Contents


Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Abbreviations

5 Conformance

6 Archetype representation requirements

6.1 General
6.2 Archetype definition, description and publication information
6.3 Archetype node constraints
6.4 Data value constraints

7 Archetype object model

7.1 Preface
7.1.1 Purpose
7.1.2 Nomenclature
7.2 Model overview
7.2.1 Package structure
7.2.2 Definition and utility classes
7.2.2.1 Overview
7.2.2.2 Class definitions
7.2.2.2.1 VERSION_STATUS enumeration
7.2.2.2.2 VALIDITY_KIND enumeration
7.2.2.2.3 ADL_CODE_DEFINITIONS class
7.3 The archetype package
7.3.1 Overview
7.3.2 Archetype identification
7.3.2.1 Human-Readable Identifier (HRID)
7.3.2.2 Machine identifiers
7.3.3 Top-level meta-data
7.3.3.1 ADL version
7.3.3.2 Reference model release
7.3.3.3 Generated flag
7.3.4 Governance meta-data
7.3.4.1 Governance meta-data items
7.3.4.2 Authorship meta-data
7.3.4.3 Descriptive meta-data
7.3.5 Structural definition
7.3.5.1 Common structural parts
7.3.5.2 Structural variants
7.3.6 Class descriptions
7.3.6.1 AUTHORED_RESOURCE Class
7.3.6.2 RESOURCE_DESCRIPTION class
7.3.6.3 RESOURCE_DESCRIPTION_ITEM class
7.3.6.4 RESOURCE_ANNOTATIONS class

7.3.6.5 TRANSLATION_DETAILS class
7.3.6.6 ARCHETYPE class
7.3.6.7 AUTHORED_ARCHETYPE class
7.3.6.8 ARCHETYPE_HRID class
7.3.6.9 TEMPLATE class
7.3.6.10 TEMPLATE_OVERLAY class
7.3.6.11 OPERATIONAL_TEMPLATE class
7.3.7 Validity rules
7.4 Constraint model package
7.4.1 Overview
7.4.2 Semantics
7.4.2.1 All node types
7.4.2.2 Attribute nodes
7.4.2.3 Object node types
7.4.2.4 Defined object nodes (C_DEFINED_OBJECT)
7.4.2.5 Reference objects
7.4.2.6 Complex objects (C_COMPLEX_OBJECT)
7.4.2.7 Primitive types (C_PRIMITIVE_OBJECT descendants)
7.4.2.8 Terminology constraints (C_TERMINOLOGY_CODE)
7.4.2.9 Constraints on enumeration types
7.4.3 Second order constraints
7.4.3.1 Tuple constraints
7.4.3.2 Assertions
7.4.4 AOM type substitutions
7.4.5 Class definitions
7.4.5.1 ARCHETYPE_CONSTRAINT class
7.4.5.2 C_ATTRIBUTE class
7.4.5.3 CARDINALITY class
7.4.5.4 C_OBJECT class
7.4.5.5 SIBLING_ORDER class
7.4.5.6 C_DEFINED_OBJECT class
7.4.5.7 C_COMPLEX_OBJECT class
7.4.5.8 C_ARCHETYPE_ROOT class
7.4.5.9 ARCHETYPE_SLOT class
7.4.5.10 C_COMPLEX_OBJECT_PROXY class
7.4.5.11 C_PRIMITIVE_OBJECT class
7.4.5.12 C_BOOLEAN class
7.4.5.13 C_STRING class
7.4.5.14 C_ORDERED class
7.4.5.15 C_INTEGER class
7.4.5.16 C_REAL class
7.4.5.17 C_TEMPORAL class
7.4.5.18 C_DATE class
7.4.5.19 C_TIME class
7.4.5.20 C_DATE_TIME class
7.4.5.21 C_DURATION class
7.4.5.22 C_TERMINOLOGY_CODE class
7.4.5.23 C_SECOND_ORDER class
7.4.5.24 C_PRIMITIVE_TUPLE class
7.4.5.25 C_ATTRIBUTE_TUPLE class
7.5 The rules package
7.5.1 Overview
7.5.2 Semantics
7.5.3 Class descriptions
7.5.3.1 RULE_STATEMENT class
7.5.3.2 ASSERTION class
7.5.3.3 VARIABLE_DECLARATION class
7.5.3.4 EXPR_VARIABLE class
7.5.3.5 BUILTIN_VARIABLE class
7.5.3.6 QUERY_VARIABLE class
7.5.3.7 EXPR_ITEM class
7.5.3.8 EXPR_LEAF class
7.5.3.9 EXPR_CONSTANT class
7.5.3.10 EXPR_CONSTRAINT class

7.5.3.11 EXPR_ARCHETYPE_ID_CONSTRAINT class
7.5.3.12 EXPR_MODEL_REF class
7.5.3.13 EXPR_VARIABLE_REF class
7.5.3.14 EXPR_OPERATOR class
7.5.3.15 EXPR_UNARY_OPERATOR class
7.5.3.16 EXPR_BINARY_OPERATOR class
7.5.3.17 OPERATOR_KIND enumeration
7.6 Terminology package
7.6.1 Overview
7.6.2 Semantics
7.6.2.1 Specialisation depth
7.6.3 Class descriptions
7.6.3.1 ARCHETYPE_TERMINOLOGY class
7.6.3.2 TERMINOLOGY_RELATION class
7.6.3.3 VALUE_SET class
7.6.3.4 ARCHETYPE_TERM class
7.7 Templates

Annex A (informative) Archetype Definition Language

A.1 General

Annex B (informative) Example Representation

B.1 LINK Example

Page count: 72