

# ISO 13606-1:2019 (E)

## Health informatics — Electronic health record communication — Part 1: Reference model

---

### Contents

|         |   |
|---------|---|
|         | Foreword  |
|         | Introduction  |
| 1       | Scope   |
| 2       | Normative references  |
| 3       | Terms and definitions   |
| 3.1     | Actors  |
| 3.2     | Concepts and terms  |
| 3.3     | Information management  |
| 3.4     | Privacy and security  |
| 3.5     | Process management  |
| 4       | Abbreviations   |
| 5       | Overview  |
| 5.1     | Overview of the reference model   |
| 5.2     | Representing roles and responsibilities within the EHR _EXTRACT                   |
| 5.2.1   | General   |
| 5.2.2   | Actors playing a role in the actual healthcare process                            |
| 5.2.3   | Actors contributing to the process of documenting care within the EHR             |
| 5.2.4   | Actors confirming the validity of the EHR documentation                           |
| 5.2.5   | Subject of care   |
| 5.2.6   | Composer  |
| 5.2.7   | Committer   |
| 5.2.8   | Subject of information  |
| 5.2.9   | Information provider  |
| 5.3     | About the use of datatypes in this document                                       |
| 6       | Common Properties of Record Components  |
| 6.1     | Base, record and structure components   |
| 6.1.1   | General   |
| 6.1.1.1 | Base component  |
| 6.1.1.2 | Record component  |
| 6.1.1.3 | Structure component   |
| 6.1.2   | Base component  |
| 6.1.3   | Electronic health record component  |
| 6.1.4   | Structure component   |
| 6.2     | Attestation   |
| 6.2.1   | General   |
| 6.2.2   | Attestation information   |
| 6.3     | Audit information   |
| 6.4     | Linking record components   |
| 6.4.1   | General   |
| 6.4.2   | Link usages   |
| 6.4.2.1 | Referencing a record component in the same EHR                                    |
| 6.4.2.2 | Creating a link between two record components in the same EHR                     |
| 6.4.2.3 | Re-using an already existing record component                                     |
| 6.4.2.4 | Referencing a record component in another EHR concerning the same subject of care |
| 6.4.2.5 | Referencing a demographic record component  |
| 6.4.2.6 | Referencing links   |

- 6.4.2.7 Referencing attestations
- 6.4.2.8 Referencing non-standardised information in external systems
- 6.4.3 Communicating referenced record components
- 6.4.4 Link
- 6.4.5 External link

## 7 Elements and Data Values

- 7.1 General
- 7.2 Data value
- 7.2.1 Boolean
- 7.2.2 Attachment
- 7.2.3 String
- 7.2.4 Simple text
- 7.2.5 Coded simple value
- 7.2.6 Coded value
- 7.2.7 Instance identifier
- 7.2.8 URI
- 7.2.9 Physical quantity
- 7.2.10 Duration
- 7.2.11 Real
- 7.2.12 Integer
- 7.2.13 Date time
- 7.2.14 Date
- 7.2.15 Time
- 7.2.16 Point in time

## 8 EHR Components

- 8.1 General
- 8.2 Folder
- 8.2.1 General
- 8.2.2 Folder
- 8.3 Compositions
- 8.3.1 General
- 8.3.2 Composition
- 8.4 Content and sections
- 8.4.1 General
- 8.4.2 Content
- 8.4.3 Section
- 8.5 Entries
- 8.5.1 General
- 8.5.2 Entry
- 8.6 Items and clusters
- 8.6.1 Item
- 8.6.2 Cluster
- 8.7 Element

## 9 EHR Extract

- 9.1 General
- 9.2 EHR extract
- 9.3 Extracted component set
- 9.4 Demographic extract

## 10 Demographics

- 10.1 General
- 10.2 Demographic folder
- 10.3 Demographic entity
- 10.4 Demographic item
- 10.5 Demographic cluster
- 10.6 Demographic element

## 11 Conformance

### Annex A (informative) About the ISO 21090:2011 profile for datatypes

#### A.1 Introduction

- A.2 ISO 21090:2011 indirect conformance
- A.3 Character set
- A.4 Equality
- A.5 Optionality and cardinality of attributes
- A.6 Null and Null flavor

**Annex B (informative) Alignment with HL7 FHIR**

**Annex C (informative) Cross-Domain Interoperability**

- C.1 Cross-Domain Interoperability
- C.2 Glossary

**Page count: 80**