ISO 22283:2020 (E)

Traditional Chinese medicine — Determination of aflatoxins in natural products by LC-FLD

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definition

4 Symbols and abbreviated terms

5 Reagents

6 Apparatus

- 6.1 LC-FLD
- 6.2 Chromatographic column
- 6.3 Glass sample
- 6.4 Electronic balance
- 6.5 Homogenizer
- 6.6 Centrifuge
- 6.7 Volumetric flask

7 Sample preparation

8 Test method

- 8.1 Stock solution and working solution
- 8.2 LC-FLD conditions
- 8.2.1 General
- 8.2.2 LC-FLD conditions and system suitability
- 8.2.3 Post-column derivatization
- 8.2.3.1 Iodine derivatization
- 8.2.3.2 Photochemical derivatization
- 8.2.4 Quantification of aflatoxins in the test sample using calibration curves
- 8.3 Application of test method

9 Sampling and preservation

- 9.1 Sampling
- 9.2 Sample storage

Annex A (informative) LC-FLD method

Annex B (informative) Chromatogram of AFG2, AFG1, AFB2 and AFB1

Annex C (informative) Reference of national, regional and organizational limits of aflatoxins in natural products

Annex D (informative) Method validation

Page count: 13