ISO/TS 22456:2021 (E)

Sterilization of healthcare products — Microbiological methods— Guidance on conducting bioburden determinations and tests of sterility for biologics and tissue-based products

Contents

Foreword

Introduction

1 Scope

1.1 Inclusions
1.2 Exclusions

2 Normative references

3 Terms and definitions

4 Definition and maintenance of product families

5 Selection and testing of product for bioburden and tests of sterility

5.1 General
5.2 Nature of product
5.3 Sample Item Portion (SIP)
5.4 Sampling conditions
5.4.1 General
5.4.2 Considerations for human tissue donor batches in sterilization
5.4.3 Use of multiple batches
5.4.4 Considerations for packaging
5.5 Microbiological testing
5.5.1 Bioburden test considerations for biologics/tissues
5.5.1.1 General
5.5.1.2 Extraction fluid
5.5.1.3 Extraction methods
5.5.1.4 Membrane filter selection
5.5.1.5 Filtration considerations
5.5.1.6 Most Probable Number (MPN)
5.5.1.7 Media for incubation
5.5.1.8 Culture conditions
5.5.1.9 Enumeration and characterization
5.5.1.10 Interpretation of data
5.5.2 Test of sterility considerations for biologics/tissues
5.5.2.1 General
5.5.2.2 Performance of test of sterility
5.5.2.3 Culture conditions
5.5.2.4 Membrane filtration of eluate
5.5.2.5 Examination of growth medium
5.5.3 Verification of microbiological methods
5.5.3.1 Method suitability
5.5.3.2 Bioburden test verification (recovery efficiency test)
5.5.3.3 Method suitability for test of sterility (bacteriostasis/fungistasis test)
5.5.4 Rapid microbiology tests

Page count: 13