

# DIN EN 17854:2024-10 (E)

## Antimicrobial wound dressings - Requirements and test method

---

| <b>Contents</b>              |   | <b>Page</b> |
|------------------------------|---|-------------|
| European foreword .....      |   | 4           |
| Introduction .....           |   | 5           |
| <b>1</b>                     | <b>Scope .....</b>  | <b>6</b>    |
| <b>2</b>                     | <b>Normative references .....</b>   | <b>6</b>    |
| <b>3</b>                     | <b>Terms, definitions, symbols and abbreviated terms .....</b>                  | <b>6</b>    |
| <b>3.1</b>                   | <b>Terms and definitions .....</b>  | <b>6</b>    |
| <b>3.2</b>                   | <b>Symbols and abbreviated terms .....</b>                                      | <b>8</b>    |
| <b>4</b>                     | <b>Requirements .....</b>   | <b>9</b>    |
| <b>4.1</b>                   | <b>Documentation and training .....</b>   | <b>9</b>    |
| <b>4.2</b>                   | <b>Microbicidal dressings .....</b>   | <b>10</b>   |
| <b>4.3</b>                   | <b>Microbistatic dressings .....</b>  | <b>10</b>   |
| <b>4.4</b>                   | <b>Performance table .....</b>  | <b>10</b>   |
| <b>5</b>                     | <b>Test method .....</b>  | <b>10</b>   |
| <b>5.1</b>                   | <b>Principle .....</b>  | <b>10</b>   |
| <b>5.2</b>                   | <b>General conditions .....</b>   | <b>11</b>   |
| <b>5.2.1</b>                 | <b>Volumes .....</b>  | <b>11</b>   |
| <b>5.2.2</b>                 | <b>Agar plates .....</b>  | <b>11</b>   |
| <b>5.3</b>                   | <b>Materials and reagents .....</b>   | <b>11</b>   |
| <b>5.3.1</b>                 | <b>Test organism strains .....</b>  | <b>11</b>   |
| <b>5.3.2</b>                 | <b>Reagents and culture media .....</b>   | <b>12</b>   |
| <b>5.3.3</b>                 | <b>Test apparatus .....</b>   | <b>14</b>   |
| <b>5.4</b>                   | <b>Preparation of test and negative control dressings .....</b>                 | <b>15</b>   |
| <b>5.5</b>                   | <b>Calculation of saturation volume and working volume .....</b>                | <b>15</b>   |
| <b>5.6</b>                   | <b>Preparation of test organism suspensions .....</b>                           | <b>17</b>   |
| <b>5.6.1</b>                 | <b>Bacteria .....</b>   | <b>17</b>   |
| <b>5.6.2</b>                 | <b>Yeast .....</b>  | <b>18</b>   |
| <b>5.6.3</b>                 | <b>Preparation of STOCK A .....</b>   | <b>18</b>   |
| <b>5.7</b>                   | <b>Neutralization validation .....</b>  | <b>19</b>   |
| <b>5.7.1</b>                 | <b>General .....</b>  | <b>19</b>   |
| <b>5.7.2</b>                 | <b>Preparation of inoculum .....</b>  | <b>19</b>   |
| <b>5.7.3</b>                 | <b>Neutralizer toxicity .....</b>   | <b>20</b>   |
| <b>5.7.4</b>                 | <b>Test organism viability .....</b>  | <b>20</b>   |
| <b>5.7.5</b>                 | <b>Neutralizer efficacy .....</b>   | <b>20</b>   |
| <b>5.7.6</b>                 | <b>Interpretation of data .....</b>   | <b>21</b>   |
| <b>5.8</b>                   | <b>Procedure .....</b>  | <b>23</b>   |
| <b>5.8.1</b>                 | <b>Exposing the test and negative control dressings to test organisms .....</b> | <b>23</b>   |
| <b>5.8.2</b>                 | <b>Recovery and enumeration of test organisms .....</b>                         | <b>25</b>   |
| <b>5.8.3</b>                 | <b>Calculation and expression of results .....</b>                              | <b>26</b>   |
| <b>5.8.4</b>                 | <b>Calculation of the detection limit of the test .....</b>                     | <b>28</b>   |
| <b>5.8.5</b>                 | <b>Judgement of test validity .....</b>   | <b>29</b>   |
| <b>5.9</b>                   | <b>Test report .....</b>  | <b>29</b>   |
| <b>Annex A (informative)</b> | <b>Referenced test organism strains in other national collections .....</b>     | <b>31</b>   |
| <b>Annex B (informative)</b> | <b>Validation of neutralization .....</b>                                       | <b>32</b>   |

|   |  |           |
|---|--|-----------|
| <b>B.1</b>  | <b>Principle .....</b>                                     | <b>32</b> |
| <b>B.2</b>  | <b>Neutralizer selection .....</b>                         | <b>32</b> |
| <b>Annex C (informative) Neutralizers .....</b>               |  | <b>33</b> |
| <b>Annex D (informative) Rationale .....</b>                  |  | <b>34</b> |
| <b>D.1</b>  | <b>General .....</b>                                       | <b>34</b> |
| <b>D.2</b>  | <b>Title .....</b>   | <b>34</b> |
| <b>D.3</b>  | <b>Test organism strains .....</b>                         | <b>34</b> |
| <b>D.4</b>  | <b>Preparation of test organism suspensions .....</b>      | <b>35</b> |
| <b>D.5</b>  | <b>Cutting dressings .....</b>                             | <b>35</b> |
| <b>D.6</b>  | <b>Positive control .....</b>                              | <b>35</b> |
| <b>D.7</b>  | <b>Performance requirements .....</b>                      | <b>35</b> |
| <b>D.8</b>  | <b>Media .....</b>   | <b>36</b> |
| <b>D.9</b>  | <b>Incubation temperatures .....</b>                       | <b>36</b> |
| <b>D.10</b>   | <b>Dressing classification .....</b>                       | <b>36</b> |
| <b>D.11</b>   | <b>Saturation volume .....</b>                             | <b>36</b> |
| <b>D.12</b>   | <b>Procedure .....</b>                                     | <b>36</b> |
| <b>D.13</b>   | <b>Exposure times .....</b>                                | <b>37</b> |
| <b>D.14</b>   | <b>Pre-conditioning and repeat challenge testing .....</b> | <b>37</b> |
| <b>D.15</b>   | <b>Humidity .....</b>                                      | <b>37</b> |
| <b>D.16</b>   | <b>Recovery of test organisms from dressings .....</b>     | <b>37</b> |
| <b>Annex E (informative) Replicates .....</b>                 |  | <b>38</b> |
| <b>Annex F (informative) Test method illustrations .....</b>  |  | <b>39</b> |
| <b>Annex G (informative) Example Test Report Tables .....</b> |  | <b>44</b> |
| <b>Bibliography .....</b>                                     |  | <b>46</b> |