

ISO 18704:2026-02 (E)

Molecular in vitro diagnostic examinations - Requirements and recommendations for pre-examination processes for urine and other body fluids - Isolated cell-free DNA

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	General requirements	6
5	Outside the laboratory	7
5.1	Specimen collection	7
5.1.1	Information about the patient or specimen donor	7
5.1.2	Selection of the body fluid collection device by the laboratory	7
5.1.3	Urine and other body fluid specimen collection from the patient or donor and stabilization procedures	8
5.1.4	Information about the specimen storage requirements at the body fluid collection facility	9
5.2	Transport requirements	11
5.2.1	General	11
5.2.2	Transport using urine and other body fluid collection devices with cfDNA stabilizers	11
5.2.3	Transport using urine and other body fluid collection devices without cfDNA stabilizers	12
6	Inside the laboratory	12
6.1	Specimen or sample reception	12
6.2	Specimen or sample storage after transport and reception	12
6.3	Urine and other body fluid specimen or sample processing prior to cfDNA isolation	13
6.4	Storage requirements for urine and other body fluid samples after processing	13
6.5	Isolation of urine and other body fluid cfDNA	14
6.5.1	General	14
6.5.2	Using a commercial cfDNA isolation kit approved for diagnostic use	14
6.5.3	Using a laboratory developed cfDNA isolation procedure	14
6.6	Quantity and quality assessment of isolated cfDNA	15
6.6.1	General	15
6.6.2	Quantity assessment of cfDNA	15
6.6.3	Quality assessment of cfDNA	15
6.7	Storage of isolated urine and other body fluid cfDNA	16
6.7.1	General	16
6.7.2	Storage of isolated urine and other body fluid cfDNA, isolated with a commercially available kit	16
6.7.3	Storage of isolated urine and other body fluid cfDNA, isolated with the laboratory's own procedure	17
Annex A (informative) Effects of pre-examination storage of unstabilized urine on cfDNA		18
Annex B (informative) Effects of pre-examination storage of unstabilized and stabilized urine on the amount of a specific cfDNA target sequence		22
Bibliography		24