

# ISO 3517:2012-08 (E)

Essential oil of neroli (*Citrus aurantium* L., syn. *Citrus amara* Link, syn. *Citrus bigaradia* Loisel, syn. *Citrus vulgaris* Risso)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Requirements .....</b>	<b>1</b>
4.1	Appearance .....	1
4.2	Colour .....	2
4.3	Odour .....	2
4.4	Relative density at 20 °C, d <sub>20</sub> 20 .....	2
4.5	Refractive index at 20 °C .....	2
4.6	Optical rotation at 20 °C .....	2
4.7	Miscibility with 85 % volume fraction ethanol at 20 °C .....	2
4.8	Acid value .....	2
4.9	Chromatographic profile .....	2
4.10	Chirality .....	2
4.11	Flashpoint .....	2
<b>5</b>	<b>Sampling .....</b>	<b>3</b>
<b>6</b>	<b>Test methods .....</b>	<b>3</b>
6.1	Relative density at 20 °C, d <sub>20</sub> 20 .....	3
6.2	Refractive index at 20 °C .....	3
6.3	Optical rotation at 20 °C .....	3
6.4	Miscibility in ethanol, 85 % volume fraction at 20 °C .....	3
6.5	Acid value .....	4
6.6	Chromatographic profile .....	4
6.7	Chirality .....	4
<b>7</b>	<b>Packaging, labelling and marking .....</b>	<b>4</b>
<b>Annex A (informative)</b>	<b>Typical chromatograms of the analysis by gas chromatography of the essential oil of neroli (<i>Citrus aurantium</i> L., syn. <i>Citrus amara</i> Link, syn. <i>Citrus bigaradia</i> Loisel, syn. <i>Citrus vulgaris</i> Risso) .....</b>	<b>5</b>
<b>Annex B (informative)</b>	<b>Flashpoint .....</b>	<b>8</b>
<b>Annex C (informative)</b>	<b>Chirality .....</b>	<b>9</b>
<b>Bibliography .....</b>		<b>10</b>