

DIN EN 16319:2016-03 (E)

Fertilizers and liming materials - Determination of cadmium, chromium, lead and nickel by inductively coupled plasma-atomic emission spectrometry (ICP-AES) after aqua regia dissolution (includes Amendment A1:2015)

Contents		Page
European foreword		3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Principle	4
5	Sampling and sample preparation	4
6	Reagents	4
7	Apparatus	5
8	Procedure	6
8.1	General	6
8.2	Preparation of the test solution	7
8.2.1	General	7
8.2.2	Preparation	7
8.3	Preparation of the test solution for the correction of matrix effects by spike recovery	7
8.4	Preparation of the blank test solution	8
8.5	Preparation of the calibration solutions for the analysis of cadmium, chromium, nickel and lead	8
8.6	Determination of cadmium, chromium, nickel and lead by ICP-AES	8
8.6.1	General	8
8.6.2	Determination by ICP-AES	8
9	Calculation and expression of the results	10
9.1	External calibration	10
9.2	Correction for spike recovery	10
9.3	Standard addition method	11
9.4	Calculation of the element content in the sample	11
10	Precision	12
10.1	Inter-laboratory tests	12
10.2	Repeatability	12
10.3	Reproducibility	12
11	Test report	13
Annex A (informative) Results of the inter-laboratory test		15
A.1	Inter-laboratory tests	15
A.2	Statistical results for the determination of cadmium, chromium, lead and nickel for fertilizers"	15
A.3	Statistical results for the determination of cadmium, chromium, lead and nickel for liming materials	17
Bibliography		20