

# ISO 17318:2015-06 (E)

## Fertilizers and soil conditioners - Determination of arsenic, cadmium, chromium, lead and mercury contents

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Principle .....</b>	<b>1</b>
<b>4</b>	<b>Reagents .....</b>	<b>1</b>
<b>5</b>	<b>Apparatus and materials .....</b>	<b>2</b>
<b>6</b>	<b>Procedure .....</b>	<b>2</b>
<b>6.1</b>	<b>Sample preparation .....</b>	<b>2</b>
<b>6.2</b>	<b>Preparation of the test solution .....</b>	<b>2</b>
<b>6.3</b>	<b>Preparation of the blank test solution .....</b>	<b>2</b>
<b>6.4</b>	<b>Preparation of the working standard solution .....</b>	<b>2</b>
<b>6.5</b>	<b>Determination of arsenic, cadmium, chromium, lead and mercury contents by inductively coupled plasma .....</b>	<b>3</b>
	<b>optical emission spectroscopy (ICP-OES) .....</b>	<b>3</b>
<b>6.6</b>	<b>Calculation and expression of the results .....</b>	<b>4</b>
<b>7</b>	<b>Precision .....</b>	<b>4</b>
<b>7.1</b>	<b>Ring test .....</b>	<b>4</b>
<b>7.2</b>	<b>Repeatability .....</b>	<b>4</b>
<b>7.3</b>	<b>Reproducibility .....</b>	<b>4</b>
<b>8</b>	<b>Test report .....</b>	<b>4</b>
	<b>Annex A (informative) Interlaboratory testing .....</b>	<b>6</b>
	<b>Bibliography .....</b>	<b>30</b>