

ISO 20637:2015-11 (E)

Infant formula and adult nutritionals - Determination of myo-inositol by liquid chromatography and pulsed amperometry

Contents		Page
Foreword		iv
1	Scope	1
2	Terms and definitions	1
3	Principle	1
4	Reagents and materials	1
5	Apparatus	3
6	Procedure	4
6.1	Free myo-inositol	4
6.1.1	Sample preparation	4
6.1.2	Extraction	5
6.2	Myo-inositol bound as phosphatidylinositol	5
6.2.1	Sample preparation	5
6.2.2	Extraction	5
6.2.3	Cleanup	6
6.2.4	Hydrolysis	6
6.3	HPLC analysis	6
6.3.1	Instrument operating conditions	6
6.3.2	PAD settings with gold electrode	8
6.3.3	Instrument startup	8
6.3.4	Standard and sample analysis	8
6.3.5	System shutdown	8
7	Calculations	8
7.1	General	8
7.2	Concentration of calibration standards	9
7.3	Preparation of standard curve	9
7.4	Calculation of free or free plus bound myo-inositol in samples	9
7.4.1	Calculation of free myo-inositol	9
7.4.2	Calculation of bound myo-inositol	10
7.4.3	Calculation of free plus bound myo-inositol	10
Annex A (informative)	Examples of chromatograms	11
Annex B (informative)	Precision data	12
Bibliography		15