ISO 20637:2015-11 (E)

Infant formula and adult nutritionals - Determination of myo-inositol by liquid chromatography and pulsed amperometry

Contents

Page

Foreword iv

1 Scope 1

2 Termsanddefinitions 1

3 Principle 1

4 Reagents and materials 1

5 Apparatus 3

6 Procedure 4
6.1 Free myo-inositol 4
6.1.1 Sample preparation 4
6.1.2 Extraction 5
6.2 Myo-inositol bound as phosphatidylinositol 5
6.2.1 Sample preparation 5
6.2.2 Extraction 5
6.2.3 Cleanup 6
6.2.4 Hydrolysis 6
6.3 HPLC analysis 6
6.3.1 Instrument operating conditions 6
6.3.2 PAD settings with gold electrode 8
6.3.3 Instrument startup 8
6.3.4 Standard and sample analysis 8
6.3.5 System shutdown 8

7 Calculations 8
7.1 General 8
7.2 Concentration of calibration standards 9
7.3 Preparation of standard curve 9
7.4 Calculation of free or free plus bound myo-inositol in samples 9
7.4.1 Calculation of free myo-inositol 9
7.4.2 Calculation of bound myo-inositol 10
7.4.3 Calculation of free plus bound myo-inositol 10

Annex A (informative) Examples of chromatograms 11

Annex B (informative) Precision data 12

Bibliography 15