

# ISO 20647:2015-11 (E)

## Infant formula and adult nutritionals - Determination of total iodine - Inductively coupled plasma mass spectrometry (ICP-MS)

---

<b>Contents</b>		<b>Page</b>
Forewords .....		iv
<b>1</b>	<b>Scope</b> .....	<b>1</b>
<b>2</b>	<b>Principle</b> .....	<b>1</b>
<b>3</b>	<b>Reagents and materials</b> .....	<b>1</b>
<b>4</b>	<b>Apparatus</b> .....	<b>5</b>
<b>5</b>	<b>Procedure</b> .....	<b>6</b>
	5.1 Reconstitution .....	6
	5.2 Sample preparation .....	6
	5.3 Addition of reagents .....	7
	5.4 Oven digestion .....	7
	5.5 Open vessel microwave digestion .....	7
	5.6 Sample filtering .....	8
	5.7 Sample dilution .....	8
	5.8 Determination .....	8
	5.9 Conditioning .....	9
	5.10 Calibration .....	9
	5.11 Sample analysis .....	9
	5.12 Data acceptability .....	10
<b>6</b>	<b>Calculation</b> .....	<b>10</b>
<b>7</b>	<b>Precision</b> .....	<b>11</b>
	7.1 Interlaboratory tests .....	11
	7.2 Repeatability .....	11
	7.3 Reproducibility .....	11
<b>Annex A (informative) Precision data</b> .....		<b>12</b>
<b>Bibliography</b> .....		<b>13</b>