

ISO 8896:2016-04 (E)

Essential oil of caraway (Carum carvi L.)

| Contents | | Page |
|------------------------------|---|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Requirements | 1 |
| 4.1 | Appearance | 1 |
| 4.2 | Colour | 1 |
| 4.3 | Odour | 2 |
| 4.4 | Relative density at 20 °C | 2 |
| 4.5 | Refractive index at 20 °C | 2 |
| 4.6 | Optical rotation at 20 °C | 2 |
| 4.7 | Acid value | 2 |
| 4.8 | Miscibility in ethanol 80 % (volume fraction) at 20 °C | 2 |
| 4.9 | Chromatographic profile | 2 |
| 5 | Flashpoint | 2 |
| 6 | Sampling | 3 |
| 7 | Test methods | 3 |
| 7.1 | Relative density at 20 °C | 3 |
| 7.2 | Refractive index at 20 °C | 3 |
| 7.3 | Optical rotation at 20 °C | 3 |
| 7.4 | Acid value | 3 |
| 7.5 | Miscibility in ethanol 80 % (volume fraction) at 20 °C | 3 |
| 7.6 | Chromatographic profile | 3 |
| 8 | Packaging, labelling, marking and storage | 3 |
| Annex A (informative) | Typical chromatograms of the analysis by gas chromatography of the essential oil of caraway (Carum carvi L.) | 4 |
| Annex B (informative) | Flashpoint | 6 |
| Bibliography | | 7 |