

DIN EN 16877:2017-03 (E)

Animal feeding stuffs - Methods of sampling and analysis - Determination of T-2 and HT-2 toxins, Deoxynivalenol and Zearalenone, in feed materials and compound feed by LC-MS

Contents		Page
European foreword		4
Introduction		5
1 Scope		6
2 Normative references		6
3 Principle		6
4 Reagents		6
5 Apparatus		8
6 Procedures		9
6.1 Sample preparation		9
6.2 Extraction		9
6.3 Test solution		10
6.4 Spiking procedure		10
7 Measurements		11
7.1 General		11
7.2 LC conditions		11
7.3 MS conditions		11
7.4 Batch composition		11
7.5 Peak identification		11
7.6 Determination of DON, HT2, T2, and ZON in calibration or and test solutions		11
7.7 Calibration		11
8 Determination of mass fraction		12
9 Precision		13
9.1 Interlaboratory study		13
9.2 Repeatability		13
9.2.1 General		13
9.2.2 HT-2 toxin		13
9.2.3 T-2 toxin		13
9.2.4 DON		13
9.2.5 ZON		13
9.3 Reproducibility		13
9.3.1 General		13
9.3.2 HT-2 toxin		14
9.3.3 T-2 toxin		14
9.3.4 DON		14
9.3.5 ZON		14
10 Test report		14
Annex A (informative) Precision data		15

Annex B (informative) Examples	20
B.1 Example 1	20
B.1.1 General	20
B.1.2 LC conditions	20
B.1.3 MS conditions	21
B.2 Example 2	21
B.2.1 General	21
B.2.2 LC conditions	22
B.2.3 MS conditions	22
B.3 Example 3	23
B.3.1 General	23
B.3.2 LC conditions	24
B.3.3 MS conditions	24
Annex C (informative) Examples of chromatograms according to the settings of the examples in Annex B	26
Bibliography	31