

# DIN EN ISO 15216-1:2017-07 (E)

## Microbiology of the food chain - Horizontal method for determination of hepatitis A virus and norovirus using real-time RT-PCR - Part 1: Method for quantification (ISO 15216-1:2017)

---

<b>Contents</b>	<b>Page</b>
European foreword.....	4
Foreword.....	5
Introduction.....	6
<b>1 Scope</b> .....	<b>7</b>
<b>2 Normative references</b> .....	<b>7</b>
<b>3 Terms and definitions</b> .....	<b>7</b>
<b>4 Principle</b> .....	<b>9</b>
4.1 Virus extraction.....	9
4.2 RNA extraction.....	10
4.3 Real-time RT-PCR.....	10
4.4 Control materials.....	10
4.4.1 Process control virus.....	10
4.4.2 Double-stranded DNA (dsDNA) control.....	10
4.4.3 EC RNA control.....	10
4.5 Test results.....	11
<b>5 Reagents</b> .....	<b>11</b>
5.1 General.....	11
5.2 Reagents used as supplied.....	11
5.3 Prepared reagents.....	12
<b>6 Equipment and consumables</b> .....	<b>13</b>
<b>7 Sampling</b> .....	<b>15</b>
<b>8 Procedure</b> .....	<b>15</b>
8.1 General laboratory requirements.....	15
8.2 Virus extraction.....	15
8.2.1 Process control virus material.....	15
8.2.2 Negative process control.....	15
8.2.3 Food surfaces.....	15
8.2.4 Soft fruit, leaf, stem and bulb vegetables.....	15
8.2.5 Bottled water.....	16
8.2.6 Bivalve molluscan shellfish.....	17
8.3 RNA extraction.....	17
8.4 Real-time RT-PCR.....	18
8.4.1 General requirements.....	18
8.4.2 Real-time RT-PCR analysis.....	18
<b>9 Interpretation of results</b> .....	<b>20</b>
9.1 General.....	20
9.2 Construction of standard curves.....	20
9.3 Calculation of RT-PCR inhibition.....	21
9.4 Calculation of extraction efficiency.....	21
9.5 Sample quantification.....	22
<b>10 Expression of results</b> .....	<b>23</b>

<b>11</b>	<b>Precision</b> .....	<b>23</b>
	11.1 Interlaboratory study.....	23
	11.2 Repeatability.....	23
	11.3 Reproducibility limit.....	24
<b>12</b>	<b>Test report</b> .....	<b>24</b>
	<b>Annex A</b> (normative) <b>Diagram of procedure</b> .....	<b>25</b>
	<b>Annex B</b> (normative) <b>Composition and preparation of reagents and buffers</b> .....	<b>26</b>
	<b>Annex C</b> (informative) <b>Real-time RT-PCR mastermixes and cycling parameters</b> .....	<b>29</b>
	<b>Annex D</b> (informative) <b>Real-time RT-PCR primers and hydrolysis probes for the detection of HAV, norovirus GI and GII and mengo virus (process control)</b> .....	<b>30</b>
	<b>Annex E</b> (informative) <b>Growth of mengo virus strain MC<sub>0</sub> for use as a process control</b> .....	<b>33</b>
	<b>Annex F</b> (informative) <b>RNA extraction using the NucliSENS® system</b> .....	<b>34</b>
	<b>Annex G</b> (informative) <b>Generation of dsDNA control stocks</b> .....	<b>36</b>
	<b>Annex H</b> (informative) <b>Generation of EC RNA stocks</b> .....	<b>39</b>
	<b>Annex I</b> (informative) <b>Typical optical plate layout</b> .....	<b>41</b>
	<b>Annex J</b> (informative) <b>Method validation studies and performance characteristics</b> .....	<b>43</b>
	<b>Bibliography</b> .....	<b>54</b>