ISO 15216-1:2017-03 (E)

Microbiology of the food chain - Horizontal method for determination of hepa titis A virus and norovirus using real-time RT-PCR - Part 1: Method for quantification

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Principle 3
4.1 Virus extraction 3
4.2 RNA extraction 4
4.3 Real-time RT-PCR 4
4.4 Control materials 4
4.4.1 Process control virus 4
4.4.2 Double-stranded DNA (dsDNA) control 4
4.4.3 EC RNA control 4
4.5 Test results 5

5 Reagents 5
5.1 General 5
5.2 Reagents used as supplied 5
5.3 Prepared reagents 6

6 Equipment and consumables 7

7 Sampling 9

8 Procedure 9
8.1 General laboratory requirements 9
8.2 Virus extraction 9
8.2.1 Process control virus material 9
8.2.2 Negative process control 9
8.2.3 Food surfaces 9
8.2.4 Soft fruit, leaf, stem and bulb vegetables 9
8.2.5 Bottled water 10
8.2.6 Bivalve molluscan shellfish 11
8.3 RNA extraction 11
8.4 Real-time RT-PCR 12
8.4.1 General requirements 12
8.4.2 Real-time RT-PCR analysis 12

9 Interpretation of results 14
9.1 General 14
9.2 Construction of standard curves 14
9.3 Calculation of RT-PCR inhibition 15
9.4 Calculation of extraction efficiency 15
9.5 Sample quantification 16

10 Expression of results 17

11 Precision 17
11.1 Interlaboratory study 17
11.2 Repeatability 17
11.3 Reproducibility limit 18

12 Test report 18

Annex A (normative) Diagram of procedure 19

Annex B (normative) Composition and preparation of reagents and buffers 20

Annex C (informative) Real-time RT-PCR mastermixes and cycling parameters 23

Annex D (informative) Real-time RT-PCR primers and hydrolysis probes for the detection of HAV, norovirus GI and GII and mengo virus (process control) 24

Annex E (informative) Growth of mengo virus strain MC0 for use as a process control 27

Annex F (informative) RNA extraction using the NucliSENS® system 28

Annex G (informative) Generation of dsDNA control stocks 30

Annex H (informative) Generation of EC RNA stocks 33

Annex I (informative) Typical optical plate layout 35

Annex J (informative) Method validation studies and performance characteristics 37

Bibliography 48