DIN EN ISO 15216-2:2019-12 (Engli sch)

Mi crobiology of the food chain - Horizontal method for determination of hepatitis A virus and norovirus using real-time RT-PCR - Part 2: Method for detection (ISO 15216-2:2019)

Contents

Page

European foreword ... **4**

Foreword ... **5**

Introduction ... **6**

1 Scope ... **7**

2 Normative references ... **7**

3 Terms and definitions ... **7**

4 Principle ... **9**
4.1 Virus extraction ... 9
4.2 RNA extraction ... 9
4.3 Real-time RT-PCR ... 9
4.4 Control materials ... 10
4.4.1 Process control virus ... 10
4.4.2 EC RNA control ... 10
4.5 Test results ... 10

5 Reagents ... **10**
5.1 General ... 10
5.2 Reagents used as supplied ... 10
5.3 Reagents requiring preparation ... 12

6 Equipment and consumables ... **13**

7 Sampling ... **14**

8 Procedure ... **14**
8.1 General laboratory requirements ... 14
8.2 Virus extraction ... 14
8.2.1 General ... 14
8.2.2 Process control virus material ... 15
8.2.3 Negative process control ... 15
8.2.4 Surfaces ... 15
8.2.5 Soft fruit and leaf, stem and bulb vegetables ... 15
8.2.6 Bottled water ... 16
8.2.7 Bivalve molluscan shellfish (BMS) ... 16
8.3 RNA extraction ... 17
8.4 Real-time RT-PCR ... 17
8.4.1 General requirements ... 17
8.4.2 Real-time RT-PCR analysis ... 18

9 Interpretation of results ... **20**
9.1 General ... 20
9.2 Construction of process control virus RNA standard curve ... 20
9.3 Control for RT-PCR inhibition ... 20
9.4 Calculation of extraction efficiency ... 21

10 Expression of results ... **21**

11 Performance characteristics of the method ... **22**
11.1 Validation study ... 22

11.2 Sensitivity 22
11.3 Specificity 22
11.4 LOD_{50} 22
12 Test report **22**
Annex A (normative) **Diagram of procedure** **23**
Annex B (normative) **Composition and preparation of reagents and buffers** **24**
Annex C (informative) **Real-time RT-PCR mastermixes and cycling parameters** **27**
Annex D (informative) **Real-time RT-PCR primers and hydrolysis probes for the detection of HAV, norovirus GI and GII and mengo virus (process control)** **28**
Annex E (informative) **Growth of mengo virus strain MC_0 for use as a process control** **31**
Annex F (informative) **RNA extraction using the BioMerieux NucliSens® system** **32**
Annex G (informative) **Generation of external control RNA (EC RNA) stocks** **34**
Annex H (informative) **Typical optical plate layout** **37**
Annex I (informative) **Method validation studies and performance characteristics** **38**
Bibliography **46**