

DIN EN ISO 17678:2019-10 (E)

Milk and milk products - Determination of milk fat purity by gas chromatographic analysis of triglycerides (ISO 17678:2019)

Contents

	Page
European foreword.....	4
Foreword.....	5
1 Scope.....	7
2 Normative references.....	8
3 Terms and definitions.....	8
4 Principle.....	8
5 Reagents.....	9
6 Apparatus.....	9
7 Sampling.....	10
8 Procedure.....	11
8.1 Preparation of test samples.....	11
8.1.1 General.....	11
8.1.2 Isolation from butter or butteroil.....	11
8.1.3 Extraction according to the Röse-Gottlieb gravimetric method.....	11
8.1.4 Extraction from milk using silica gel columns.....	11
8.1.5 Extraction from cheese.....	12
8.2 Preparation of fat sample solution.....	12
8.3 Chromatographic triglyceride determination.....	12
8.3.1 Baseline drift.....	12
8.3.2 Injection technique.....	12
8.3.3 Calibration.....	12
8.3.4 Chromatographic conditions.....	13
9 Integration, evaluation and control of the analytical performance.....	14
10 Calculation and expression of results.....	16
10.1 Triglyceride composition.....	16
10.1.1 Calculation.....	16
10.1.2 Expression of test results.....	16
10.2 S-values.....	17
10.2.1 Calculation.....	17
10.2.2 Expression of test results.....	17
10.3 Detection of foreign fat.....	17
11 Precision.....	18
11.1 Interlaboratory test.....	18
11.2 Repeatability.....	18
11.3 Reproducibility.....	18
12 Test report.....	19
Annex A (normative) Preparation of the packed column.....	20
A.1 Reagents and materials.....	20
A.2 Apparatus.....	20

A.3	Silanization (deactivation of the glass surface).....	20
A.4	Filling	22
A.5	Conditioning.....	22
Annex B (informative)	Quantification of the foreign fat content	24
B.1	General	24
B.2	Calculation.....	24
B.3	Expression of test results.....	25
Annex C (informative)	Uncertainty of measurement	26
Annex D (informative)	Interlaboratory test	27
Bibliography	29

Figures

Figure 1	— Example of a triglyceride chromatogram of milk fat with baseline set correctly	15
Figure 2	— Example of a triglyceride chromatogram of milk fat with baseline set incorrectly	15
Figure A.1	— Silanization apparatus.....	21
Figure A.2	— Rinsing apparatus	21
Figure A.3	— Filling of the glass column.....	22

Tables

Table 1	— Coefficients of variation of triglyceride contents.....	16
Table 2	— S -limits for pure milk fats	18
Table 3	— Repeatability limits, r , for Formulae (3) to (7)	18
Table 4	— Reproducibility limits, R , for Formulae (3) to (7).....	18
Table B.1	— 99 % Limits of detection of foreign fat added to milk fat as percentages	24
Table B.2	— S_f values of various foreign fats	25
Table C.1	— Extended S limits for pure milk fats including the expanded uncertainty	26
Table D.1	— Results of the interlaboratory test: Formula (3).....	27
Table D.2	— Results of the interlaboratory test: Formula (4).....	27
Table D.3	— Results of the interlaboratory test: Formula (5).....	28
Table D.4	— Results of the interlaboratory test: Formula (6).....	28
Table D.5	— Results of the interlaboratory test: Formula (7).....	28