

DIN EN ISO 18862:2019-12 (E)

Coffee and coffee products - Determination of acrylamide - Methods using HPLC-MS/MS and GC-MS after derivatization (ISO 18862:2016)

| Contents | Page |
|---------------------------------------------------------------------------------|-------------|
| European foreword | 3 |
| Foreword | 4 |
| Introduction | 5 |
| 1 Scope | 6 |
| 2 Normative references | 6 |
| 3 Terms and definitions | 6 |
| 4 Principle | 6 |
| 5 Reagents | 6 |
| 6 Apparatus | 8 |
| 7 Sampling | 9 |
| 8 Procedure | 9 |
| 8.1 General | 9 |
| 8.2 Preparation of the sample extract | 9 |
| 8.3 Clean-up of the extracts | 10 |
| 8.3.1 Carrez precipitation | 10 |
| 8.3.2 Solid phase extraction | 10 |
| 8.4 HPLC-MS/MS measurement | 10 |
| 8.4.1 High-performance liquid chromatography (HPLC) | 10 |
| 8.4.2 Identification and quantification by mass spectrometry (HPLC-MS/MS) | 11 |
| 8.5 Measurement with GC-MS | 11 |
| 8.5.1 Derivatization and sample preparation for gas chromatography | 11 |
| 8.5.2 Gas chromatography | 12 |
| 8.5.3 Identification and quantification by mass spectrometry | 12 |
| 9 Calibration | 12 |
| 9.1 General advice | 12 |
| 9.2 Determination of linearity and definition of the working range | 12 |
| 9.3 Calibration with internal standard solution | 12 |
| 9.4 Determination of the laboratory specific recovery | 13 |
| 10 Evaluation | 13 |
| 10.1 Criteria for identification | 13 |
| 10.2 Calculation and final results | 13 |
| 11 Precision data | 14 |
| 11.1 General | 14 |
| 11.2 Repeatability | 14 |
| 11.3 Reproducibility | 14 |
| 11.4 Recovery | 14 |
| 12 Measurement uncertainty | 14 |
| 13 Test report | 15 |
| Annex A (informative) Performance characteristics | 16 |
| Annex B (informative) Examples of absorber materials | 17 |
| Annex C (informative) Examples of columns and analysis conditions | 18 |
| Bibliography | 24 |