

DIN EN ISO 16297:2020-05 (E)

Milk - Bacterial count - Protocol for the evaluation of alternative methods (ISO 16297:2020)

| Contents | | Page |
|-------------------------|--|-------------|
| European foreword | | 3 |
| Foreword | | 4 |
| Introduction | | 6 |
| 1 | Scope | 7 |
| 2 | Normative references | 7 |
| 3 | Terms and definitions | 7 |
| 4 | Transformation of results | 7 |
| 5 | Attributes of the alternative method | 8 |
| 5.1 | General | 8 |
| 5.2 | Description of the method to be evaluated | 8 |
| 5.2.1 | Description | 8 |
| 5.2.2 | Checklist | 8 |
| 5.3 | Measuring range | 8 |
| 5.3.1 | Lower limit of quantification | 8 |
| 5.3.2 | Upper limit of quantification | 9 |
| 5.3.3 | Linearity of the instrument signal | 9 |
| 5.4 | Carry-over | 10 |
| 5.5 | Stability | 11 |
| 5.6 | Precision | 12 |
| 5.6.1 | General | 12 |
| 5.6.2 | Repeatability | 12 |
| 5.6.3 | Reproducibility | 12 |
| 5.6.4 | Evaluation of factors affecting the results | 12 |
| 6 | Alternative method as an estimate of the anchor method | 12 |
| 6.1 | General | 12 |
| 6.2 | Evaluation of factors affecting the estimation | 13 |
| 6.3 | Measurement protocol | 13 |
| 6.4 | Calculations | 13 |
| 6.4.1 | General | 13 |
| 6.4.2 | Visual check of a scatter diagram | 13 |
| 6.4.3 | Outliers | 14 |
| 6.4.4 | Accuracy of the estimate and accuracy profile | 14 |
| 6.5 | Attributes of the alternative method expressed in units of the anchor method | 16 |
| 7 | Rating of the elaborated attributes | 16 |
| Bibliography | | 17 |