

ISO/TS 22176:2020-01 (E)

Cosmetics - Analytical methods - Development of a global approach for validation of quantitative analytical methods

Contents	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms, definitions and symbols.....	1
3.1 Terms and definitions.....	1
3.2 Symbols.....	5
4 General principles.....	6
4.1 Reminder.....	6
4.2 Various conditions for the estimation of precision.....	6
4.3 Accuracy profile.....	7
5 Procedure.....	9
5.1 Definition of the measured quantity.....	9
5.2 Definition of objectives.....	9
5.2.1 Choice of the scope of validation.....	9
5.2.2 Choice of acceptance limits.....	9
5.3 Selection of validation samples.....	10
5.3.1 Choice of the type of matrix or types of matrices.....	10
5.3.2 Methods for establishing reference values.....	10
5.4 Characterization plan for validation.....	10
5.4.1 Organization.....	10
5.4.2 Choice of the number of series, repetitions and concentrations for the characterization plan for validation.....	11
5.5 Calibration plan for the indirect methods.....	11
5.5.1 Organization.....	11
5.5.2 Choice of the number of series, repetitions and concentrations for the calibration plan.....	12
5.6 Testing.....	13
5.7 Calculation of predicted inverse concentrations for indirect methods.....	14
5.7.1 General.....	14
5.7.2 Calculation of the calibration models.....	14
5.7.3 Calculation of back-calculated concentrations by inverse prediction.....	15
5.8 Calculation of the validation criteria by concentration level.....	15
5.8.1 General.....	15
5.8.2 Trueness criteria by series.....	15
5.8.3 Trueness and precision criteria by concentration.....	16
5.8.4 Calculation of the tolerance intervals.....	17
5.9 Construction of the accuracy profile.....	18
5.10 Interpretation of the accuracy profile for validation.....	19
5.10.1 General.....	19
5.10.2 Decision rules.....	20
5.10.3 Definition of the scope of validity.....	21
5.10.4 Choice of a calibration procedure for the routine.....	21
5.10.5 Influence and significance of the β proportion.....	21
5.10.6 Identification of outliers.....	22

6	Management of the outcomes during routine use	22
Annex A (normative)	Calculation of repeatability, intermediate precision and reproducibility standard deviations	23
Annex B (normative)	Contents of the validation file	25
Annex C (informative)	Setting-up an assay for determining the accuracy profile in the case of NDELA in cosmetic samples	27
Annex D (informative)	Influence of the value of β on the tolerance interval ($R = 3$ and $s_{IP} = 1$)	37
Annex E (informative)	Contribution to the uncertainty calculation	38
Bibliography	39