ISO/TS 22176:2020-01 (E)

Cosmetics - Analytical methods - Development of a global approach for validation of quantitative analytical methods

Contents

Page

Foreword ..... **v**

Introduction ..... **vi**

1 Scope **1**

2 Normative references **1**

3 Terms, definitions and symbols **1**
3.1 Terms and definitions 1
3.2 Symbols 5

4 General principles **6**
4.1 Reminder 6
4.2 Various conditions for the estimation of precision 6
4.3 Accuracy profile 7

5 Procedure **9**
5.1 Definition of the measured quantity 9
5.2 Definition of objectives 9
5.2.1 Choice of the scope of validation 9
5.2.2 Choice of acceptance limits 9
5.3 Selection of validation samples 10
5.3.1 Choice of the type of matrix or types of matrices 10
5.3.2 Methods for establishing reference values 10
5.4 Characterization plan for validation 10
5.4.1 Organization 10
5.4.2 Choice of the number of series, repetitions and concentrations for the characterization plan for validation 11
5.5 Calibration plan for the indirect methods 11
5.5.1 Organization 11
5.5.2 Choice of the number of series, repetitions and concentrations for the calibration plan 12
5.6 Testing 13
5.7 Calculation of predicted inverse concentrations for indirect methods 14
5.7.1 General 14
5.7.2 Calculation of the calibration models 14
5.7.3 Calculation of back-calculated concentrations by inverse prediction 15
5.8 Calculation of the validation criteria by concentration level 15
5.8.1 General 15
5.8.2 Trueness criteria by series 15
5.8.3 Trueness and precision criteria by concentration 16
5.8.4 Calculation of the tolerance intervals 17
5.9 Construction of the accuracy profile 18
5.10 Interpretation of the accuracy profile for validation 19
5.10.1 General 19
5.10.2 Decision rules 20
5.10.3 Definition of the scope of validity 21
5.10.4 Choice of a calibration procedure for the routine 21
5.10.5 Influence and significance of the β proportion 21
5.10.6 Identification of outliers 22

6 Management of the outcomes during routine use **22**

Annex A (normative) **Calculation of repeatability, intermediate precision and reproducibility standard deviations** **23**

Annex B (normative) **Contents of the validation file** **25**

Annex C (informative) **Setting-up an assay for determining the accuracy profile in the case of NDELA in cosmetic samples** **27**

Annex D (informative) **Influence of the value of β on the tolerance interval (R = 3 and s_{IP} = 1)** **37**

Annex E (informative) **Contribution to the uncertainty calculation** **38**

Bibliography **39**