

ISO 23920:2020 (E)

Cigarettes — Determination of ammonia in cigarette mainstream smoke with an intense smoking regime using ion chromatography

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Principle
5	Apparatus
6	Reagents
7	Preparation
7.1	General
7.2	Preparation of solutions
7.2.1	Sulphuric acid, 0,01 M — Impinger solution (trapping system 1)
7.2.2	Sulphuric acid, 0,1 M — Solution C (Ion Chromatography Eluent)
7.2.3	MSA 0,003 M — Solution A (Ion chromatography eluent)
7.2.4	Sulphuric acid, 0,01 M — Ammonium standards preparation
7.2.5	Hydrochloric acid, 0,05 M — Solution for GFP impregnation (trapping system 2)
7.2.6	Hydrochloric acid, 0,01 M — Extraction solution (trapping system 2)
7.3	Preparation of standards
7.3.1	Primary ammonium stock solution
7.3.2	Calibration standards
8	Sampling
9	Tobacco product preparation
10	Sample generation — Smoking of cigarettes
10.1	General
10.2	Smoking machine setup
10.2.1	General
10.2.2	Trapping system 1 — GFP and impinger traps
10.2.3	Trapping system 2 — Impregnated GFP
10.2.3.1	Impregnation procedure
10.2.3.2	Assembly of trapping system 2
10.3	Smoking
11	Sample analysis
11.1	Preparation of sample
11.1.1	Extraction of GFP — Trapping system 1
11.1.2	Extraction of GFP — Trapping system 2
11.2	Determination
11.2.1	Ion chromatography operating conditions
11.2.2	Calibration
11.2.3	Calculation
12	Repeatability and reproducibility

12.1	General
12.2	Results of the 2015 collaborative study
13	Report
Annex A	(informative) Examples of chromatograms

Page count: 11