

ISO 22579:2020 (E)

Infant formula and adult nutritionals — Determination of fructans — High performance anion exchange chromatography with pulsed amperometric detection (HPAEC-PAD) after enzymatic treatment

Contents

	Foreword
1	Scope
2	Normative references
3	Terms and definitions
4	Principle
5	Chemicals and reagents
5.1	List of chemicals and reagents
5.2	Preparation of reagents
5.3	Preparation of mobile phases using column A (6.13.1) or equivalent
5.4	Preparation of mobile phases using columns B (6.13.2) or equivalent
5.5	Preparation of standard solutions
6	Apparatus
7	Procedure
7.1	Sample preparation
7.1.1	Powdered or concentrated products on a ready-to feed (RTF) basis and powder products inhomogeneous at the subgram level
7.1.2	Reconstituted products as prepared in 7.1.1 or products sold as RTF
7.1.3	Homogeneous powdered products without prior reconstitution
7.1.4	Dilution
7.1.5	Hydrolysis of sucrose and α -glucans
7.1.6	Carrez clarification (optional, use in case of difficulties passing sample through SPE)
7.1.7	Removal of monosaccharides
7.1.8	Hydrolysis of fructans
7.2	Chromatographic conditions using column A (6.13.1)
7.3	Chromatographic conditions using columns B (6.13.2)
7.4	System suitability test
7.5	Calibration
8	Calculation
9	Reporting
10	Precision data
10.1	General
10.2	Repeatability
10.3	Reproducibility
11	Test report
Annex A	(informative) Example chromatograms and calibration curves
Annex B	(informative) Precision data
Annex C	(informative) Check test enzyme mixture of sucrase, β -amylase, pullulanase and maltase