

ISO 23922:2020 (E)

Cigarettes — Determination of selected carbonyls in the mainstream smoke of cigarettes with an intense smoking regime — Method using high performance liquid chromatography

Contents

| | |
|---------|---|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Principle |
| 5 | Apparatus |
| 6 | Reagents |
| 7 | Preparation |
| 7.1 | Preparation of glassware |
| 7.2 | Preparation of solutions |
| 7.3 | Preparation of standards |
| 7.3.1 | HPLC calibration standards and working solutions |
| 7.3.1.1 | Primary carbonyl standards |
| 7.3.1.2 | Secondary carbonyl standards |
| 7.3.2 | Carbonyl working standards |
| 8 | Sampling |
| 9 | Tobacco product preparation |
| 10 | Sample generation — Smoking of cigarettes |
| 10.1 | General |
| 10.2 | Smoking machine setup |
| 10.3 | Smoking |
| 10.3.1 | General |
| 10.3.2 | Linear smoking |
| 10.3.3 | Rotary smoking |
| 11 | Sample analysis |
| 11.1 | Preparation of mainstream smoke extract solution |
| 11.2 | Reversed phase high performance liquid chromatography |
| 11.2.1 | Chromatographic conditions |
| 11.2.2 | Mobile phase reagents |
| 11.2.3 | HPLC separation conditions |
| 11.3 | Calculation |
| 11.3.1 | Calibration curve |
| 11.3.2 | Sample quantification |
| 12 | Repeatability and reproducibility |
| 12.1 | General |
| 12.2 | Results from the 2012 collaborative study |
| 13 | Test report |

Annex A (informative) Recrystallization of 2,4-dinitrophenylhydrazine

Annex B (normative) Example of calibration standards preparation

Annex C (informative) HPLC chromatogram of a typical combined carbonyl calibration standard

Annex D (informative) HPLC chromatogram of carbonyls in DNPH extract of mainstream cigarette smoke

Page count: 18