

DIN ISO 22634-2:2021-02 (E)

Cigarettes - Determination of benzo[a]pyrene in cigarette mainstream smoke using GC/MS - Part 2: Method using cyclohexane as extraction solvent (ISO 22634-2:2019)

Contents		Page
National foreword		3
National Annex NA (informative) Bibliography		4
Foreword		5
Introduction		6
1 Scope		7
2 Normative references		7
3 Terms and definitions		7
4 Principle		7
5 Apparatus		8
6 Reagents		8
7 Standards		9
7.1 General		9
7.2 Primary B[a]P-d12 stock solution: 100 µg/ml		9
7.3 Secondary B[a]P-d12 spiking solution: 40 ng/ml		9
7.4 Primary B[a]P stock solution: 100 µg/ml		9
7.5 Secondary B[a]P stock solution: 1 000 ng/ml		9
7.6 Working standard solutions		9
7.7 Storage of standard solutions		9
8 Preparation of sample		10
8.1 Sampling		10
8.2 Smoking		10
8.3 Glass-fibre filter pad extraction		10
8.4 Sample clean-up		10
8.5 Blank solution		11
9 Determination		11
9.1 GC/MS operating conditions		11
9.2 Calibration		12
9.3 Determination of B[a]P		12
9.4 Calculation		12
10 Repeatability and reproducibility		12
11 Test report		13
11.1 General		13
11.2 Characteristic data about the cigarette		13
11.3 Data about sampling		14
11.4 Description of the test		14
11.5 Test results		14
Annex A (informative) Example of a chromatogram of a cigarette smoke extract		15
Bibliography		16