

DIN EN ISO 15216-1:2021-10 (E)

Microbiology of the food chain - Horizontal method for determination of hepatitis A virus and norovirus using real-time RT-PCR - Part 1: Method for quantification (ISO 15216-1:2017 + Amd 1:2021) (includes Amendment A1:2021)

Contents

| | Page |
|--|------|
| European foreword | 4 |
| A1 European foreword to Amendment A1 | 5 |
| Foreword | 6 |
| A1 Foreword to Amendment A1 | 7 |
| Introduction | 8 |
| 1 Scope | 9 |
| 2 Normative references | 9 |
| 3 Terms and definitions | 9 |
| 4 Principle | 11 |
| 4.1 Virus extraction | 11 |
| 4.2 RNA extraction | 12 |
| 4.3 Real-time RT-PCR | 12 |
| 4.4 Control materials | 12 |
| 4.4.1 Process control virus | 12 |
| 4.4.2 Double-stranded DNA (dsDNA) control | 12 |
| 4.4.3 EC RNA control | 12 |
| 4.5 Test results | 13 |
| 5 Reagents | 13 |
| 5.1 General | 13 |
| 5.2 Reagents used as supplied | 13 |
| 5.3 Prepared reagents | 14 |
| 6 Equipment and consumables | 15 |
| 7 Sampling | 17 |
| 8 Procedure | 17 |
| 8.1 General laboratory requirements | 17 |
| 8.2 Virus extraction | 17 |
| 8.2.1 Process control virus material | 17 |
| 8.2.2 Negative process control | 17 |
| 8.2.3 Food surfaces | 17 |
| 8.2.4 Soft fruit, leaf, stem and bulb vegetables | 17 |
| 8.2.5 Bottled water | 18 |
| 8.2.6 Bivalve molluscan shellfish | 19 |
| 8.3 RNA extraction | 19 |
| 8.4 Real-time RT-PCR | 20 |
| 8.4.1 General requirements | 20 |
| 8.4.2 Real-time RT-PCR analysis | 20 |
| 9 Interpretation of results | 22 |
| 9.1 General | 22 |
| 9.2 Construction of standard curves | 22 |
| 9.3 Calculation of RT-PCR inhibition | 23 |
| 9.4 Calculation of extraction efficiency | 23 |
| 9.5 Sample quantification | 24 |

| | | |
|---|-----------------------------------|-----------|
| 10 | Expression of results..... | 25 |
| 11 | Precision | 25 |
| 11.1 | Interlaboratory study..... | 25 |
| 11.2 | Repeatability..... | 25 |
| 11.3 | Reproducibility limit..... | 26 |
| 12 | Test report..... | 26 |
| Annex A (normative) Diagram of procedure..... | | 27 |
| Annex B (normative) Composition and preparation of reagents and buffers..... | | 28 |
| Annex C (informative) Real-time RT-PCR mastermixes and cycling parameters..... | | 31 |
| Annex D (informative) Real-time RT-PCR primers and hydrolysis probes for the detection of HAV, norovirus GI and GII and mengo virus (process control)..... | | 32 |
| Annex E (informative) Growth of mengo virus strain MC₀ for use as a process control..... | | 34 |
| Annex F (informative) RNA extraction using the NucliSENS® system..... | | 35 |
| Annex G (informative) Generation of dsDNA control stocks..... | | 37 |
| Annex H (informative) Generation of EC RNA stocks..... | | 40 |
| Annex I (informative) Typical optical plate layout..... | | 42 |
| Annex J (informative) Method validation studies and performance characteristics..... | | 43 |
| Bibliography..... | | 54 |