

DIN EN ISO 15216-1:2021-10 (E)

Microbiology of the food chain - Horizontal method for determination of hepatitis A virus and norovirus using real-time RT-PCR - Part 1: Method for quantification (ISO 15216-1:2017 + Amd 1:2021) (includes Amendment A1:2021)

Contents		Page
	European foreword	4
	A1 European foreword to Amendment A1	5
	Foreword	6
	A1 Foreword to Amendment A1	7
	Introduction	8
1	Scope	9
2	Normative references	9
3	Terms and definitions	9
4	Principle	11
	4.1 Virus extraction	11
	4.2 RNA extraction	12
	4.3 Real-time RT-PCR	12
	4.4 Control materials	12
	4.4.1 Process control virus	12
	4.4.2 Double-stranded DNA (dsDNA) control	12
	4.4.3 EC RNA control	12
	4.5 Test results	13
5	Reagents	13
	5.1 General	13
	5.2 Reagents used as supplied	13
	5.3 Prepared reagents	14
6	Equipment and consumables	15
7	Sampling	17
8	Procedure	17
	8.1 General laboratory requirements	17
	8.2 Virus extraction	17
	8.2.1 Process control virus material	17
	8.2.2 Negative process control	17
	8.2.3 Food surfaces	17
	8.2.4 Soft fruit, leaf, stem and bulb vegetables	17
	8.2.5 Bottled water	18
	8.2.6 Bivalve molluscan shellfish	19
	8.3 RNA extraction	19
	8.4 Real-time RT-PCR	20
	8.4.1 General requirements	20
	8.4.2 Real-time RT-PCR analysis	20
9	Interpretation of results	22
	9.1 General	22
	9.2 Construction of standard curves	22
	9.3 Calculation of RT-PCR inhibition	23
	9.4 Calculation of extraction efficiency	23
	9.5 Sample quantification	24

10	Expression of results	25
11	Precision	25
	11.1 Interlaboratory study.....	25
	11.2 Repeatability.....	25
	11.3 Reproducibility limit.....	26
12	Test report	26
	Annex A (normative) Diagram of procedure	27
	Annex B (normative) Composition and preparation of reagents and buffers	28
	Annex C (informative) Real-time RT-PCR mastermixes and cycling parameters	31
	Annex D (informative) Real-time RT-PCR primers and hydrolysis probes for the detection of HAV, norovirus GI and GII and mengo virus (process control)	32
	Annex E (informative) Growth of mengo virus strain MC₀ for use as a process control	34
	Annex F (informative) RNA extraction using the NucliSENS® system	35
	Annex G (informative) Generation of dsDNA control stocks	37
	Annex H (informative) Generation of EC RNA stocks	40
	Annex I (informative) Typical optical plate layout	42
	Annex J (informative) Method validation studies and performance characteristics	43
	Bibliography	54