

# DIN EN ISO 27971:2023-12 (E)

## Cereals and cereal products - Common wheat (*Triticum aestivum* L.) - Determination of Alveograph properties of dough at constant hydration from commercial or test flours and test milling methodology (ISO 27971:2023)

---

| <b>Contents</b> |   | <b>Page</b> |
|-----------------|---|-------------|
|                 | <b>European foreword</b> .....  | <b>4</b>    |
|                 | <b>Foreword</b> .....   | <b>5</b>    |
|                 | <b>Introduction</b> .....   | <b>6</b>    |
| <b>1</b>        | <b>Scope</b> .....  | <b>7</b>    |
| <b>2</b>        | <b>Normative references</b> .....   | <b>7</b>    |
| <b>3</b>        | <b>Terms and definitions</b> .....  | <b>7</b>    |
| <b>4</b>        | <b>Principle</b> .....  | <b>7</b>    |
| <b>5</b>        | <b>Reagents</b> .....   | <b>8</b>    |
| <b>6</b>        | <b>Apparatus</b> .....  | <b>8</b>    |
| <b>7</b>        | <b>Sampling</b> .....   | <b>12</b>   |
| <b>8</b>        | <b>Preparation of the wheat for laboratory milling</b> .....  | <b>12</b>   |
| 8.1             | Cleaning the laboratory sample .....  | 12          |
| 8.2             | Test portion .....  | 12          |
| 8.3             | Wheat moisture content determination .....  | 12          |
| 8.4             | Wheat preparation .....   | 12          |
| 8.4.1           | General .....   | 12          |
| 8.4.2           | Wheat with initial moisture content between 13 % and 15 % (one-stage moistening) .....                                | 13          |
| 8.4.3           | Wheat with a moisture content less than 13 % (two-stage moistening) .....   | 13          |
| 8.4.4           | Wheat with a moisture content greater than 15 % (preliminary drying followed by moistening, as described above) ..... | 13          |
| <b>9</b>        | <b>Laboratory milling</b> .....   | <b>13</b>   |
| 9.1             | General .....   | 13          |
| 9.2             | Milling procedure .....   | 14          |
| 9.2.1           | Breaking .....  | 14          |
| 9.2.2           | Reduction .....   | 14          |
| 9.2.3           | Flour homogenization .....  | 14          |
| 9.2.4           | Storage of the flour .....  | 15          |
| 9.3             | Expression of milling results .....   | 15          |
| <b>10</b>       | <b>Preparation and Alveograph test</b> .....  | <b>15</b>   |
| 10.1            | Preliminary checks .....  | 15          |
| 10.2            | Preliminary operations .....  | 16          |
| 10.3            | Kneading .....  | 18          |
| 10.4            | Preparation of dough test pieces .....  | 20          |
| 10.5            | Alveograph test .....   | 21          |
| 10.5.1          | Initial preparation .....   | 21          |
| 10.5.2          | First operation: placing the patty on the lower plate .....   | 21          |
| 10.5.3          | Second operation: biaxial extension .....   | 23          |
| 10.6            | Expression of Alveograph test results .....   | 23          |
| 10.6.1          | General .....   | 23          |
| 10.6.2          | Maximum pressure parameter, <i>P</i> .....  | 24          |

|                |   |           |
|----------------|---|-----------|
| 10.6.3         | Mean abscissa at rupture, $L$ .....   | 24        |
| 10.6.4         | Swelling index, $G$ .....   | 24        |
| 10.6.5         | Elasticity index, $I_e$ .....   | 25        |
| 10.6.6         | Curve configuration ratio, $P/L$ .....  | 25        |
| 10.6.7         | Deformation work, $W$ .....   | 25        |
| <b>11</b>      | <b>Precision</b> .....  | <b>25</b> |
| 11.1           | Interlaboratory tests.....  | 25        |
| 11.1.1         | Commercial flour.....   | 25        |
| 11.1.2         | Flour obtained from laboratory milling.....   | 25        |
| 11.2           | Repeatability limits.....   | 26        |
| 11.2.1         | General.....  | 26        |
| 11.2.2         | Commercial flour — Limits established by the interlaboratory test.....                                  | 26        |
| 11.2.3         | Flour obtained from laboratory milling.....   | 26        |
| 11.3           | Reproducibility limits.....   | 27        |
| 11.3.1         | General.....  | 27        |
| 11.3.2         | Commercial flour — Limits established by the proficiency tests.....                                     | 27        |
| 11.3.3         | Flour obtained from laboratory milling.....   | 28        |
| 11.4           | Uncertainty.....  | 28        |
| <b>12</b>      | <b>Test report</b> .....  | <b>28</b> |
| <b>Annex A</b> | <b>(informative) Characteristics of the mill suitable for obtaining a laboratory milled flour</b> ..... | <b>29</b> |
| <b>Annex B</b> | <b>(normative) Quantity of water to be added to wheat for conditioning</b> .....                        | <b>31</b> |
| <b>Annex C</b> | <b>(informative) Sample milling sheet</b> .....   | <b>32</b> |
| <b>Annex D</b> | <b>(informative) Conversion table from <math>L</math> to <math>G</math></b> .....                       | <b>34</b> |
| <b>Annex E</b> | <b>(informative) Interlaboratory and proficiency test data for commercial flours</b> .....              | <b>36</b> |
| <b>Annex F</b> | <b>(informative) Interlaboratory data for laboratory milled flour</b> .....                             | <b>46</b> |
| <b>Annex G</b> | <b>(informative) Routine maintenance instructions for the Alveograph</b> .....                          | <b>58</b> |
| <b>Annex H</b> | <b>(informative) Assessment of proteolytic activity in wheat (<i>T. aestivum</i> L.) or flour</b> ..... | <b>60</b> |
|                | <b>Bibliography</b> .....   | <b>62</b> |