

DIN 10955:2024-01 (E)

Sensory analysis - Testing of food contact materials and articles (FCM)

Contents		Page
Foreword		5
1	Scope	8
2	Normative references	9
3	Terms and definitions	9
4	Units	12
5	Principle	12
6	Sensory panel	12
7	Reagents	12
7.1	Saturated sodium chloride solution	12
8	Apparatus	12
8.1	Glass or plastic vessels	12
8.1.1	Vessels for smell test	12
8.1.2	Vessels for testing with indirect contact	13
8.1.3	Vessels for receiving test substances and for sensory analysis	13
8.2	Cutting devices and cutting plates	13
8.3	Migration cells	13
8.4	Heat or pressure sealer	13
8.5	Volume measuring device or balance	13
8.6	Thermostatically controlled oven, incubator or refrigerator	13
9	Sampling and sample preparation	13
9.1	General	13
9.2	Taking the sample	13
9.3	Sample preparation	14
9.4	Taking the test segment	14
10	Off-odour test (inherent odour)	14
10.1	General	14
10.2	Test set-up	15
10.2.1	One-sided contact	15
10.2.2	Two-sided contact	15
10.3	Test conditions	15
10.4	Sensory analysis of the inherent odour	16
11	Simulation of the migration of sensorially perceptible substances from food contact materials to test substances	16
11.1	General requirements regarding test conditions	16
11.2	Test substances	16
11.3	Migration of sensorially perceptible substances from food contact materials to test substances through the air-filled space (indirect contact)	18
11.3.1	Indirect contact	18
11.3.2	Test set-up	18
11.3.3	Test conditions and procedure	19
11.3.4	Sensory analysis of the test substance	20

11.4	Migration of sensorially perceptible substances from food contact materials to test substances with direct contact	20
11.4.1	Direct contact	20
11.4.2	Test set-up	20
11.4.3	Test conditions	22
11.4.4	Test with the original food under typical contact conditions	23
11.4.5	Test for the migration of sensorially active constituents from a packaging material in the assessment of the minimum shelf life of a food	24
11.4.6	Testing for the migration of sensorially active constituents from a food contact material in the presence of a food complaint sample	25
12	Sensory analysis of the samples	25
12.1	Overview of suitable sensory analysis methods	25
12.2	Sensory analysis methods for conformity testing	26
12.2.1	Triangle test according to DIN EN ISO 4120	26
12.2.2	Extended triangle test	26
12.2.3	Intensity rating by means of the difference from control test (DfC test) according to 12.3 Additional sensory analysis methods for quality assurance and product development	28
12.3.1	Framework conditions	28
12.3.3	Paired comparison test according to DIN EN ISO 5495	28
12.3.4	Ranking test according to DIN ISO 8587	28
12.4	Evaluation	28
12.4.1	Overview of step-by-step assessment	28
12.4.2	Significance of the difference	29
12.4.3	Intensity of difference	30
12.4.4	Conformity assessment and quality assessment	31
13	Test report	32
	Annex A (informative) Procedure (schematic)	33
	Annex B (informative) Guide to making a sealed tetrahedron	35
	Annex C (informative) Test set-up for indirect contact -- Examples	36
	Annex D (informative) Determination of immersion volume	38
D.1	Calculation	38
D.2	Examples for determining the immersion volume	39
	Annex E (informative) Example of an evaluation form for the extended triangle test	40
	Annex F (informative) Example of an evaluation form for a difference from control test	42
	Annex G (informative) Application example for a sensory analysis and evaluation -- Triangle test to demonstrate a difference	43
G.1	Background	43
G.2	Objective of analysis	43
G.3	Selection of test conditions	43
G.4	Procedure	43
G.5	Assessment and interpretation of results	43
G.6	Test report and conclusions	44
	Annex H (informative) Examples of an assessment of the intensity ratings	45
	Bibliography	49
	Figures Figure 1 -- Schematic overview of the Scope of this document	8
	Figure 2 -- Schematic overview of terms relating to sampling	10

Figure A.1 -- Procedure (schematic)	34
Figure B.1 -- Making a tetrahedron	35
Figure C.1 -- Example of a test set-up with glass vessel A	36
Figure C.2 -- Example of a test set-up with glass vessel B	37
Figure D.1 -- Cylinder for calculating the immersion volume	38
Figure D.2 -- Example of a determination of d	39
Figure D.3 -- Examples of the determination of the functional parts	39
Tables Table 1 -- Typical test conditions for the off-odour test (inherent odour of FCM)	15
Table 2 -- Typical test foods	16
Table 3 -- Examples of test set-ups for indirect contact	18
Table 4 -- Typical test conditions for migration in indirect contact	19
Table 5 -- Possible test set-ups and underlying S/V ratio depending on the nature of the test substance and the test sample	21
Table 6 -- Overview of the application suitability of sensory analysis methods depending on the test objective	26
Table 7 -- Intensity scale	27
Table 8 -- Overview of recommended decisions for conformity testing	29
Table 9 -- Maximum number of correct answers c for triangle tests used for conformity testing with n evaluations	29
Table E.1 -- Scale for evaluating the difference in intensity in the extended triangle test	40
Table E.2 -- Example of an evaluation form for a triad in the extended triangle test	41
Table F.1 -- Scale for evaluating the intensity difference in the difference from control test	42
Table F.2 -- Example of an evaluation form for a sample in the difference from control test	42
Table H.1 -- Examples of 6 intensity ratings with a threshold value of 3	45
Table H.2 -- Examples of more than 6 intensity ratings with a threshold value of 3	47