

# ISO 11816-1:2024-01 (E)

## Milk and milk products - Determination of alkaline phosphatase activity - Part 1: Fluorimetric method for milk and milk-based drinks

---

<b>Contents</b>		Page
<b>Forewords</b> .....		<b>iv</b>
<b>1 Scope</b> .....		<b>1</b>
<b>2 Normative references</b> .....		<b>1</b>
<b>3 Terms and definitions</b> .....		<b>1</b>
<b>4 Principle</b> .....		<b>1</b>
<b>5 Reagents</b> .....		<b>2</b>
<b>6 Apparatus</b> .....		<b>3</b>
<b>7 Sampling</b> .....		<b>4</b>
<b>8 Preparations</b> .....		<b>4</b>
8.1 Alkaline phosphatase-free milk.....		4
8.2 Preparation of the test sample.....		4
8.2.1 General.....		4
8.2.2 Pasteurized test samples.....		4
8.2.3 Dilution of test samples with high ALP values.....		4
<b>9 Procedure</b> .....		<b>4</b>
9.1 Verification of instrument performance.....		4
9.1.1 General.....		4
9.1.2 Daily instrument tests.....		5
9.1.3 Using FLM200.....		5
9.1.4 Using FLM300.....		5
9.1.5 Controls.....		5
9.2 Reagent controls to test the suitability of ready-to-use working substrate ( <a href="#">5.3</a> ).....		6
9.3 Calibration.....		6
9.3.1 General.....		6
9.3.2 Using FLM200.....		6
9.3.3 Using FLM300.....		6
9.4 Determination.....		7
9.5 Test-sample-related controls.....		8
9.5.1 Recommended negative and positive control tests.....		8
9.5.2 Interfering substance test.....		8
9.5.3 Heat-stable microbial alkaline phosphatase control test.....		8
<b>10 Calculation and expression of results</b> .....		<b>8</b>
10.1 Calibration ratio.....		8
10.2 Calculation.....		9
10.3 Expression of test results.....		9
<b>11 Precision</b> .....		<b>9</b>
11.1 Interlaboratory study.....		9
11.2 Repeatability.....		9
11.3 Reproducibility.....		9
<b>12 Test report</b> .....		<b>10</b>
<b>Annex A (informative) Interlaboratory study</b> .....		<b>11</b>
<b>Bibliography</b> .....		<b>14</b>