ISO 23698:2024-12 (E)

Cosmetics - Measurement of the sunscreen efficacy by diffuse reflectance spectroscopy

Contents

Page

Foreword ..... **v**

Introduction ..... **vi**

1 Scope **1**

2 Normative references **1**

3 Terms, definitions and symbols **1**
3.1 Terms and definitions 1
3.2 Symbols 4

4 Principle **5**

5 Apparatus and test method **5**
5.1 In vitro UV spectrophotometer 5
5.2 In vitro substrate/plate 6
5.3 In vivo diffuse reflectance spectrometers (DRS) specifications 6
5.4 Monitoring the DRS systems 7
5.4.1 Monochromatic system 7
5.4.2 Polychromatic system 7
5.5 Test method 7
5.5.1 General 7
5.5.2 Subject exclusion criteria 7
5.5.3 Skin colour of the test subjects 8
5.5.4 Frequency of participation in tests 8
5.5.5 Number of test subjects 8
5.5.6 Ethics and consent 8
5.5.7 Study preparations 8
5.5.8 Unprotected skin remittance measurement 8
5.5.9 Training for Technician performing sunscreen application 9
5.5.10 Sunscreen application to test subject 9
5.5.11 Protected skin remittance measurements 9

6 In vitro spectrophotometer measurements **11**
6.1 General 11
6.2 In vitro measurement preparation 12
6.2.1 Blank reference PMMA plate 12
6.2.2 Product application 12
6.2.3 Product spreading 12
6.2.4 Spreading for alcoholic products 12
6.3 In vitro measurement 13
6.4 Determination of A_{vt0} 13
6.5 Determination of the UV exposure dose 13
6.6 Measurement of in vitro sunscreen-treated plates post-irradiation 14
6.6.1 General 14
6.6.2 Calculation of the $A_{vt1}(\lambda)$ post irradiated spectrum 14
6.7 Determination of the hybridization wavelength 14
6.7.1 Monochromatic system 14
6.7.2 Polychromatic system 15

7 Spectral ratio of photo-degradation (S_{RPD}) **15**
7.1 General 15
7.2 Determination of $S_{RPD}(\lambda)$ 15

8 Calculations to estimate SPF and UVA-PF **16**
8.1 Determination of $A_{HDRSi}(\lambda)$ 16
8.1.1 Determination of $A_{DRSi}(\lambda)$ (monochromatic system) 16
8.1.2 Determination of the A_{DRSi} (polychromatic system) 16
8.1.3 Determination of the individual hybridization scalar value – C_{Ai} 17
8.1.4 Calculation of final hybrid absorbance spectrum 17
8.2 Calculate test material SPF_{HDRSi} 18
8.3 Calculate test material UVA-PF_i 18
8.4 Critical wavelength calculation 18
8.5 Calculation of the mean and standard deviations for SPF and UVA-PF 19
8.6 Statistical criterion 20
8.7 Reference standards for SPF and UVA-PF 20
8.7.1 Establishment of SPF and UVA-PF for product claim: 20
8.7.2 Other calculations 20
8.8 Data rejection criteria 20
8.8.1 Subject data rejection criterion 20
8.8.2 Site-specific data rejection criterion 21
8.9 Test failure criteria 21

9 Test report **21**
9.1 General 21
9.2 Data in tabular form for each test subject 22

Annex A (informative) **Test flow chart monochromatic and polychromatic DRS** **23**

Annex B (normative) **Calibration check of UV spectrophotometer and plate transmittance test (in vitro measurements)** **25**

Annex C (normative) **Calibration of solar simulator irradiance and radiometer procedure** **29**

Annex D (normative) **Test plate and surface specifications** **35**

Annex E (normative) **Computation values — PPD and erythema action spectra and UVA and UV-SSR spectral irradiances** **37**

Annex F (normative) **Statistics and calculations** **40**

Annex G (normative) **SPF, UVA-PF and CW reference sunscreen formulations** **43**

Annex H (informative) **Definition and examples of valid skin DRS results** **44**

Annex I (normative) **Optical fibres and calibration** **46**

Annex J (normative) **Product application** **47**

Annex K (normative) **ISO 23698 test report** **50**

Bibliography **52**