

ISO 23698:2024-12 (E)

Cosmetics - Measurement of the sunscreen efficacy by diffuse reflectance spectroscopy

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms, definitions and symbols	1
	3.1 Terms and definitions	1
	3.2 Symbols	4
4	Principle	5
5	Apparatus and test method	5
	5.1 In vitro UV spectrophotometer	5
	5.2 In vitro substrate/plate	6
	5.3 In vivo diffuse reflectance spectrometers (DRS) specifications	6
	5.4 Monitoring the DRS systems	7
	5.4.1 Monochromatic system	7
	5.4.2 Polychromatic system	7
	5.5 Test method	7
	5.5.1 General	7
	5.5.2 Subject exclusion criteria	7
	5.5.3 Skin colour of the test subjects	8
	5.5.4 Frequency of participation in tests	8
	5.5.5 Number of test subjects	8
	5.5.6 Ethics and consent	8
	5.5.7 Study preparations	8
	5.5.8 Unprotected skin remittance measurement	8
	5.5.9 Training for Technician performing sunscreen application	9
	5.5.10 Sunscreen application to test subject	9
	5.5.11 Protected skin remittance measurements	9
6	In vitro spectrophotometer measurements	11
	6.1 General	11
	6.2 In vitro measurement preparation	12
	6.2.1 Blank reference PMMA plate	12
	6.2.2 Product application	12
	6.2.3 Product spreading	12
	6.2.4 Spreading for alcoholic products	12
	6.3 In vitro measurement	13
	6.4 Determination of A_{vt0}	13
	6.5 Determination of the UV exposure dose	13
	6.6 Measurement of in vitro sunscreen-treated plates post-irradiation	14
	6.6.1 General	14
	6.6.2 Calculation of the $A_{vt1}(\lambda)$ post irradiated spectrum	14
	6.7 Determination of the hybridization wavelength	14
	6.7.1 Monochromatic system	14
	6.7.2 Polychromatic system	15
7	Spectral ratio of photo-degradation (S_{RPD})	15
	7.1 General	15
	7.2 Determination of $S_{RPD}(\lambda)$	15

8	Calculations to estimate SPF and UVA-PF	16
8.1	Determination of $A_{\text{HDRSi}}(\lambda)$	16
8.1.1	Determination of $A_{\text{DRSi}}(\lambda)$ (monochromatic system).....	16
8.1.2	Determination of the A_{DRSi} (polychromatic system).....	16
8.1.3	Determination of the individual hybridization scalar value - C_{Ai}	17
8.1.4	Calculation of final hybrid absorbance spectrum.....	17
8.2	Calculate test material $\text{SPF}_{\text{HDRSi}}$	18
8.3	Calculate test material UVA-PF _i	18
8.4	Critical wavelength calculation.....	18
8.5	Calculation of the mean and standard deviations for SPF and UVA-PF.....	19
8.6	Statistical criterion.....	20
8.7	Reference standards for SPF and UVA-PF.....	20
8.7.1	Establishment of SPF and UVA-PF for product claim:.....	20
8.7.2	Other calculations.....	20
8.8	Data rejection criteria.....	20
8.8.1	Subject data rejection criterion.....	20
8.8.2	Site-specific data rejection criterion.....	21
8.9	Test failure criteria.....	21
9	Test report	21
9.1	General.....	21
9.2	Data in tabular form for each test subject.....	22
	Annex A (informative) Test flow chart monochromatic and polychromatic DRS	23
	Annex B (normative) Calibration check of UV spectrophotometer and plate transmittance test (in vitro measurements)	25
	Annex C (normative) Calibration of solar simulator irradiance and radiometer procedure	29
	Annex D (normative) Test plate and surface specifications	35
	Annex E (normative) Computation values — PPD and erythema action spectra and UVA and UV-SSR spectral irradiances	37
	Annex F (normative) Statistics and calculations	40
	Annex G (normative) SPF, UVA-PF and CW reference sunscreen formulations	43
	Annex H (informative) Definition and examples of valid skin DRS results	44
	Annex I (normative) Optical fibres and calibration	46
	Annex J (normative) Product application	47
	Annex K (normative) ISO 23698 test report	50
	Bibliography	52