

DIN EN ISO 24443:2026-10 (E)

Cosmetics - Determination of sunscreen UVA photoprotection in vitro (ISO 24443:2021, Corrected version 2022-02 + Amd 1:2026) (includes Amendment :2026)

Contents	Page
Foreword.....	v
Foreword to Amendment 1	vi
Introduction	vii
1 Scope.....	1
2 Normative references.....	1
3 Terms, definitions, symbols and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Symbols and abbreviated terms	2
4 Principle.....	3
5 Apparatus.....	3
5.1 Spectrophotometer specifications	3
5.2 Calibration of the spectrophotometer	4
5.3 Calibration of the UV exposure source.....	4
5.4 Monitoring of the UV exposure source	5
5.5 Calibration of the UVA radiometer used to monitor the test sample irradiation	5
5.6 Substrate/plate.....	5
5.7 Robot	6
5.7.1 General	6
5.7.2 Specifications	6
5.7.3 Monitoring	6
6 Test method	7
6.1 Outline of the test procedure	7
6.2 Equipment calibration and validation of test plates.....	7
6.3 Absorption measurements through the plate	7
6.4 Sample application	8
6.4.1 Preparation	8
6.4.2 Manual spreading	8
6.4.3 Automated spreading	9
6.4.4 Drying	9
6.5 Absorbance measurements of the product-treated plate.....	9
6.6 Number of determinations.....	9
6.7 Determination of initial calculated SPF ($SPF_{in vitro,0}$), “C” value, initial UVA-PF ($UVA-PF_0$), and UV exposure dose	9
6.7.1 Determination of initial in vitro SPF ($SPF_{in vitro,0}$).....	9
6.7.2 Determination of “C” value.....	10
6.7.3 Determination of initial UVA protection factor before UV exposure ($UVA-PF_0$).....	11
6.7.4 Determination of the UV exposure dose.....	11
6.8 UV exposure of sample plates	11
6.9 Calculation of UVA-PF of plates after UV exposure of the sample	12
6.10 Calculation of critical wavelength of plates after UV exposure of the sample	12
7 Procedure using the spreadsheet in this document.....	13
8 Product reference sunscreen.....	13
8.1 Formula S2.....	13
8.2 Standard P8	14

9	Test report.....	14
Annex A (normative)	Calibration of spectrophotometer and plate transmission test	15
Annex B (normative)	Radiometer calibration to spectroradiometric irradiance procedure	19
Annex C (normative)	Computation values: PPD and erythema action spectra and UVA and UV-SSR spectral irradiances.....	21
Annex D (normative)	PMMA substrate plate surface specifications.....	24
Annex E (normative)	Product reference sunscreen formulations	27
Annex F (informative)	Statistical calculations	33
Annex G (informative)	Definition and examples of valid results/Factor “C”	36
Annex H (normative)	Ⓐ Robot specification Ⓐ.....	37
Bibliography		39