

# ISO 14637:2004-10 (E)

## Milk - Determination of urea content - Enzymatic method using difference in pH (Reference method)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>3</b>	<b>Principle .....</b>	<b>1</b>
<b>4</b>	<b>Reagents .....</b>	<b>1</b>
<b>5</b>	<b>Apparatus .....</b>	<b>2</b>
<b>6</b>	<b>Sampling .....</b>	<b>3</b>
<b>7</b>	<b>Preparation of test sample .....</b>	<b>3</b>
<b>8</b>	<b>Procedure .....</b>	<b>3</b>
<b>8.1</b>	<b>General .....</b>	<b>3</b>
<b>8.2</b>	<b>Blank determination .....</b>	<b>3</b>
<b>8.3</b>	<b>Calibration .....</b>	<b>4</b>
<b>8.4</b>	<b>Checking the calibration .....</b>	<b>5</b>
<b>8.5</b>	<b>Determination .....</b>	<b>5</b>
<b>8.6</b>	<b>Checking the stability .....</b>	<b>5</b>
<b>8.7</b>	<b>Checking the contamination of the electrodes .....</b>	<b>5</b>
<b>8.8</b>	<b>Cleaning procedure .....</b>	<b>5</b>
<b>9</b>	<b>Maintenance of the electrodes .....</b>	<b>5</b>
<b>9.1</b>	<b>Regeneration .....</b>	<b>5</b>
<b>9.2</b>	<b>Strong regeneration .....</b>	<b>6</b>
<b>10</b>	<b>Calculation and expression of results .....</b>	<b>6</b>
<b>10.1</b>	<b>Calculation .....</b>	<b>6</b>
<b>10.2</b>	<b>Expression of results .....</b>	<b>6</b>
<b>11</b>	<b>Precision .....</b>	<b>6</b>
<b>11.1</b>	<b>Interlaboratory tests .....</b>	<b>6</b>
<b>11.2</b>	<b>Repeatability .....</b>	<b>6</b>
<b>11.3</b>	<b>Reproducibility .....</b>	<b>7</b>
<b>12</b>	<b>Test report .....</b>	<b>7</b>
<b>Annex A (informative) Differential pH apparatus .....</b>		<b>8</b>
<b>Annex B (informative) Interlaboratory tests .....</b>		<b>9</b>
<b>Bibliography .....</b>		<b>11</b>